

SINCLAIR STAINLESS STEEL PILOTS - PILOT STOP, STAINLESS STEEL, 6MM

[Reloading](#) > [Case Preparation](#) > [Flash Hole Tool Pilots](#)

We manufacture pilots for our flash hole tool and our Neck Thickness/Variance Gauge. Our pilots are precision machined from stainless steel on CNC turning centers to properly fit new, unfired case necks. Available for rifle and pistol cartridges from 22 thru 45 caliber. Not for use on .50 BMG. 50 BMG flash hole diameter is larger.



Attributes

- Name: [PILOT STOP, STAINLESS STEEL, 6MM](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749001037
- Mfr. No.:
- Caliber: 243/6 mm (.243)
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SINCLAIR STAINLESS STEEL PILOTS
- About Us

Safety Instruction Guide for SINCLAIR STAINLESS STEEL PILOTS

Introduction

Thank you for choosing the SINCLAIR STAINLESS STEEL PILOTS. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of the product. Please read this guide carefully before using the pilots.

General Safety Guidelines

- Ensure that all tools and equipment are used in accordance with the manufacturer's instructions.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling or using the pilots.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the pilots for any signs of damage or wear before use.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not use the pilots with cartridges that exceed the specified caliber range (22 to 45 caliber).
- Avoid using the pilots with .50 BMG cartridges as they have a larger flash hole diameter.
- Ensure that the pilots are compatible with your specific flash hole tool and Neck Thickness/Variance Gauge.
- Handle the pilots with care to prevent injury or damage.
- Store the pilots in a dry, cool place when not in use to prevent corrosion.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and equipment.
- Ensure your work area is clean and welllit.

2. Installation:

- Insert the pilot into the designated tool (flash hole tool or Neck Thickness/Variance Gauge).
- Ensure that the pilot is securely fitted and does not move or wobble.

3. Usage:

- Follow the specific instructions for your tool to ensure proper operation.
- Monitor the pilot during use for any signs of wear or damage.
- If the pilot becomes damaged, discontinue use immediately and replace it.

4. PostUse Care:

- Remove the pilot from the tool after use.
- Clean the pilot with a suitable cleaning solution to remove any residues.
- Dry the pilot thoroughly before storing it.

Disposal Instructions

- Dispose of the pilots in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the stainless steel material if facilities are available.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the manufacturer's contact information provided on the product packaging or visit the official website.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with the SINCLAIR STAINLESS STEEL PILOTS. Always prioritize safety and be aware of your surroundings while using this product. Thank you for your attention to these guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at