

# LOCK-N-LOAD RIMFIRE THICKNESS GAUGE

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

Hornady Rimfire Thickness Gauge allows shooters to sort their ammo by rim thickness. Sorting ammo by thickness has been proven to aid accuracy. The gauge attaches to the blade of a 6 inch caliper and includes bushings to use for all .17 and .22 caliber rimfire ammo including the new 17 HMR, HM2, and 22 Magnum ammo. Easy to use and enables you to sort through ammo quickly.



## Attributes

- Name: [LOCK-N-LOAD RIMFIRE THICKNESS GAUGE](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749004358
- Mfr. No.: RF17
- Delivery weight: 0.045kg
- Shipping height: 36mm
- Shipping width: 94mm
- Shipping length: 155mm
- UPC: 090255704150

## Item details

Made in USA  
EU Export Disabled

# Table of Contents

- Startpage
- LOCKNLOAD RIMFIRE THICKNESS GAUGE Safety Instruction Guide
- About Us

# LOCKNLOAD RIMFIRE THICKNESS GAUGE Safety Instruction Guide

## Introduction

Thank you for choosing the Hornady LockNLoad Rimfire Thickness Gauge. This product is designed to help shooters sort their ammunition by rim thickness, which can improve accuracy. Please read this safety instruction guide carefully to ensure the safe and effective use of the product.

## General Safety Guidelines

- Always read and understand the user manual before using the product.
- Ensure that the gauge is in good condition before each use. Inspect for any signs of damage or wear.
- Keep the gauge out of reach of children and vulnerable individuals to prevent misuse.
- Use the gauge only for its intended purpose, which is sorting rimfire ammunition by thickness.
- Follow all local laws and regulations regarding the handling and use of ammunition.

## Specific Safety Precautions for Use

- Do not use the gauge if it is damaged or malfunctioning.
- Always handle ammunition with care and ensure that firearms are unloaded when sorting ammunition.
- Avoid using the gauge in wet or damp conditions to prevent damage.
- Do not exceed the recommended rim thickness measurements specified in the user manual.
- Store the gauge in a safe and dry location when not in use.

## Instructions for Installation and Usage

### 1. Attaching the Gauge:

- Attach the gauge to the blade of a 6inch caliper according to the instructions provided in the user manual.
- Ensure that the gauge is securely fastened to avoid any movement during use.

### 2. Using the Gauge:

- Select the appropriate bushing for the caliber of rimfire ammunition you are sorting (e.g., .17, .22, 17 HMR, HM2, or 22 Magnum).
- Insert the rim of the ammunition into the bushing and read the thickness measurement on the caliper.
- Record the measurements as needed for sorting purposes.

### 3. Cleaning and Maintenance:

- Clean the gauge regularly with a soft cloth to remove any debris or residue.
- Store the gauge in its original packaging or a protective case to prevent damage.

## Disposal Instructions

- When the gauge is no longer in use or is beyond repair, dispose of it according to local regulations for electronic waste and nonfood products.
- Ensure that all components are properly recycled or discarded to minimize environmental impact.

## **Contact Information for Further Support**

For any safety inquiries or further assistance, please refer to the contact information provided in the product documentation or visit the manufacturer's website.

By following these guidelines, you can ensure the safe and effective use of your Hornady LockNLoad Rimfire Thickness Gauge. Thank you for your attention to safety and for choosing our product.

# About Us

## **Brownells Deutschland**

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,  
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1  
24539 Neumünster  
Deutschland

[www.brownells-deutschland.de](http://www.brownells-deutschland.de)