

MATCH 6MM (0.243") HOLLOW POINT BOAT TAIL BULLETS - MATCH 6MM (0.243") 105GR BOATTAIL HOLLOW POINT 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Hornady Boat Tail Hollow Point Bullets are manufactured using Hornady's Advanced Manufacturing Process (AMP). This allows for the best ballistic coefficient possible. The profile delivers low drag and flat trajectories. Swaged lead core provides uniformity and consistency. These BTHP bullets allow for unmatched accuracy at long distances.



Attributes

- Name: [MATCH 6MM \(0.243"\) 105GR BOATTAIL HOLLOW POINT 100/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749012313
- Mfr. No.: 2458
- Ballistic Coefficient (G1): 0.530
- Ballistic Coefficient (G7): 0.253
- Brand Style: Match
- Bullet Style: Hollow Point Boat Tail (HPBT)
- Caliber: 6mm,243 Caliber
- Diameter (Breech): 0.243
- Diameter (in): 0.243
- Grain: 105
- Sectional Density: 0.254
- Quantity: 100
- Delivery weight: 2.268kg
- Shipping height: 71mm
- Shipping width: 71mm
- Shipping length: 142mm
- UPC: 090255224580

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for MATCH 6MM (0.243") Hollow Point Boat Tail Bullets
- About Us

Safety Instruction Guide for MATCH 6MM (0.243") Hollow Point Boat Tail Bullets

Introduction

Thank you for choosing Hornady MATCH 6MM (0.243") Hollow Point Boat Tail Bullets. This guide provides essential safety instructions to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR). Please read this document carefully before using the product.

General Safety Guidelines

- Ensure safe handling and storage of all ammunition products.
- Always treat all firearms and ammunition as if they are loaded.
- Keep ammunition out of reach of children and unauthorized users.
- Regularly check for product recalls and safety alerts on the EU Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only in firearms specifically designed for 6mm (0.243") caliber ammunition.
- Verify that your firearm is in good working condition before use.
- Wear appropriate eye and ear protection when shooting.
- Do not exceed the manufacturer's recommended load specifications.
- Avoid using damaged or corroded ammunition.
- Store ammunition in a cool, dry place away from direct sunlight and moisture.
- Do not attempt to modify or disassemble bullets or ammunition.

Instructions for Installation and Usage

- **Loading the Ammunition:**
 - Ensure the firearm is pointed in a safe direction.
 - Open the action of the firearm and visually inspect the chamber to ensure it is clear.
 - Load the bullet into the magazine or chamber according to the firearm's manual.
- **Firing the Ammunition:**
 - Take a stable shooting position and ensure the area is clear of obstructions and bystanders.
 - Aim at the target and ensure the firearm is on safe until ready to fire.
 - Squeeze the trigger gently to fire the bullet.
- **PostFiring:**
 - After firing, keep the firearm pointed downrange and wait a few moments before checking the target.
 - Unload the firearm according to the manufacturer's instructions.
 - Clean the firearm and store it safely after use.

Disposal Instructions

- Dispose of any unused or damaged ammunition in accordance with local regulations.
- Do not throw ammunition in regular trash.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the product packaging or your retailer for contact information.

By following these safety guidelines and precautions, you can ensure a safe and enjoyable shooting experience with your Hornady MATCH 6MM (0.243") Hollow Point Boat Tail Bullets. Thank you for prioritizing safety.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz