

FULL LENGTH DIE SETS - RCBS FULL LENGTH 2-DIE SET .26 NOSLER

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

Full length die sets are for bottleneck rifle and pistol cases, and they include a full length sizing die and a seater die. The full length die will bump the shoulder of the case to extent the die is adjusted up or down in the press. We suggest using a cartridge headspace gage tool to get the correct shoulder bump. The full length die also sizes the body of the case so it will chamber easily for the next firing, then the die decaps the spent primer. The expander ball passes through the neck of the case and sizes the neck to the correct tension. Cases must be lubricated before full length sizing. The RCBS seater dies for bottleneck cases will seat bullets correctly in full length sized cases or neck sized cases. These seater dies have a built-in crimp ring to enable you to crimp the case into the bullet if you wish to. The seater die is easily adjusted to crimp or not to crimp by raising or lowering the die position in the press. Full length 2 die sets are the basic building block of the reloading process. Many shooters wear out multiple barrels or rifles using just one full length reloading die set. We recommend that new reloaders start with a full length die set and learn how to set the dies up correctly before they jump in to other types of reloading dies.



Attributes

- Name: [RCBS FULL LENGTH 2-DIE SET .26 NOSLER](#)
- Manufacturer: [RCBS](#)
- Product no.: 749015689
- Mfr. No.: 26501
- Cartridge: 26 Nosler
- Die Style: Full Length Sizing Dies
- Delivery weight: 0.572kg
- Shipping height: 44mm
- Shipping width: 114mm
- Shipping length: 152mm
- UPC: 076683265012

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RCBS Full Length 2Dye Set .26 Nosler
- About Us

Safety Instruction Guide for RCBS Full Length 2Dye Set .26 Nosler

Introduction

Thank you for choosing the RCBS Full Length 2Dye Set for .26 Nosler. This guide provides essential safety instructions and information to ensure safe and effective use of the product. Please read this guide carefully before using the die set and keep it for future reference.

General Safety Guidelines

- Ensure that the die set is used only for its intended purpose—reloading .26 Nosler cartridges.
- Always wear appropriate safety gear, including safety glasses and gloves, when reloading ammunition.
- Keep the reloading area clean and organized to prevent accidents.
- Store the die set in a secure place, out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Before using the die set, read the manufacturer's instructions thoroughly.
- Lubricate cases before full length sizing to prevent stuck cases in the die.
- Adjust the die carefully to avoid oversizing or damaging the case.
- Use a cartridge headspace gauge tool to ensure correct shoulder bump.
- Never exceed the recommended load limits for the .26 Nosler cartridge.
- Ensure that the press is securely mounted and stable before operating.
- Do not attempt to modify or repair the die set yourself; contact a professional for assistance.

Instructions for Installation and Usage

Installation

1. Set Up the Press:

- Ensure that the reloading press is securely mounted on a stable surface.
- Check that all components of the press are in good working condition.

2. Install the Sizing Die:

- Screw the full length sizing die into the press until it is snug.
- Adjust the die position according to the manufacturer's instructions.

3. Install the Seater Die:

- Insert the seater die into the press and secure it in place.
- Adjust the seater die for bullet seating depth as needed.

Usage

1. Preparing Cases:

- Inspect cases for damage or excessive wear.
- Clean cases thoroughly before reloading.

2. Lubricating Cases:

- Apply a thin layer of case lubricant to the body and neck of the cases.

3. Sizing the Cases:

- Insert a lubricated case into the sizing die.
- Operate the press to size the case, ensuring the shoulder is bumped appropriately.

4. Seating Bullets:

- Insert a bullet into the mouth of the sized case.
- Use the seater die to push the bullet into the case to the desired depth.

5. Crimping (if desired):

- Adjust the seater die to apply a crimp if necessary for your load.

6. Final Inspection:

- Inspect each completed round for overall quality and proper dimensions.

Disposal Instructions

- Dispose of used primers and any other waste materials according to local regulations.
- Do not dispose of hazardous materials in regular trash. Contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the RCBS Full Length 2Dye Set, please refer to the manufacturer's contact information provided with the product. Ensure you have the product details ready for efficient assistance.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective reloading experience with your RCBS Full Length 2Dye Set for .26 Nosler. Thank you for your attention to safety and enjoy your reloading process!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk