

MATCH GRADE BUSHING - .251" DIAMETER MATCH BUSHING

The Hornady match Grade Dies feature interchangeable neck sizing bushings that are self centering. The bushings allow the user to size the case neck to the bullet tension you desire. This eliminates the chance of over-sizing your case necks and overworking the brass. Bushings are available in .002 inch increments. The Match Grade Full Length Die will size the case body, bump the shoulder and size the case neck with the selected bushing. The Match Grade Neck Die sizes the neck with the installed bushing and bumps the shoulder only (no body sizing). Both versions feature a self centering decap spindle with an o-ring spindle tensioner, and the elliptical expander ball with headed decap pin - the same pin used in the Custom Grade Dies. These bushing sizer dies have some unique features and are very well made and finished.



Attributes

- Name: .251" DIAMETER MATCH BUSHING
- Manufacturer: HORNADY
- Product no.: 749016853
- Mfr. No.: 594251
- Diameter (in): .251
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 38mm
- Shipping length: 102mm
- UPC: 090255592511

Item details

Made in USA
EU Export Disabled

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den HORNADY MATCH GRADE BUSHING
- English: MATCH GRADE BUSHING Safety Instruction Guide

Sicherheitshinweise für den HORNADY MATCH GRADE BUSHING

Einleitung

Vielen Dank für den Kauf des HORNADY MATCH GRADE BUSHING mit einem Durchmesser von .251 Zoll. Diese Anleitung bietet wichtige Informationen zur sicheren Verwendung des Produkts und stellt sicher, dass Sie alle erforderlichen Sicherheitsvorkehrungen treffen.

Allgemeine Sicherheitsrichtlinien

- Vergewissern Sie sich, dass das Produkt für den vorgesehenen Zweck verwendet wird.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Überprüfen Sie das Produkt regelmäßig auf Schäden oder Abnutzung.
- Verwenden Sie das Produkt nicht, wenn es beschädigt oder defekt ist.
- Achten Sie darauf, dass Sie bei der Verwendung geeignete Schutzausrüstung tragen.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Stellen Sie sicher, dass der Bushing korrekt in die Die eingesetzt wird, um eine ordnungsgemäße Funktion zu gewährleisten.
- Verwenden Sie nur die empfohlenen Kaliber und Größen, um mögliche Gefahren zu vermeiden.
- Arbeiten Sie in einem gut belüfteten Bereich und vermeiden Sie die Einatmung von Staub oder Dämpfen.
- Halten Sie Ihre Arbeitsfläche sauber und frei von unnötigen Gegenständen.
- Seien Sie vorsichtig beim Umgang mit scharfen oder schweren Werkzeugen.

Anweisungen zur Installation und Verwendung

1. Installation des Bushing:

- Entfernen Sie den alten Bushing, falls vorhanden.
- Setzen Sie den neuen HORNADY Bushing mit einem Durchmesser von .251 Zoll in die Die ein.
- Stellen Sie sicher, dass der Bushing sicher und fest sitzt.

2. Verwendung der Die:

- Stellen Sie die Die auf die gewünschte Größe und Spannung ein.
- Führen Sie die Patrone vorsichtig in die Die ein und betätigen Sie den Hebel oder die Presse gleichmäßig.
- Überwachen Sie den Vorgang, um sicherzustellen, dass die Patrone korrekt geformt wird.
- Entfernen Sie die fertige Patrone vorsichtig aus der Die.

3. Reinigung und Wartung:

- Reinigen Sie die Die und den Bushing nach jedem Gebrauch, um Ablagerungen zu entfernen.
- Überprüfen Sie regelmäßig auf Verschleiß und ersetzen Sie den Bushing bei Bedarf.

Entsorgungsanweisungen

- Entsorgen Sie beschädigte oder nicht mehr benötigte Teile gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Stellen Sie sicher, dass alle Teile sicher verpackt sind, um Verletzungen zu vermeiden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Bedenken zu diesem Produkt wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt gekauft haben. Achten Sie darauf, alle relevanten Informationen bereitzuhalten, um eine schnelle und effektive Unterstützung zu gewährleisten.

Bitte beachten Sie, dass Sie bei der Verwendung des HORNADY MATCH GRADE BUSHING alle Sicherheitsrichtlinien und vorkehrungen befolgen sollten. Ihre Sicherheit hat oberste Priorität.

MATCH GRADE BUSHING Safety Instruction Guide

Introduction

Thank you for choosing the MATCH GRADE BUSHING .251" DIAMETER MATCH BUSHING by Hornady. This product is designed to enhance your reloading experience by providing precise neck sizing for your cartridges. To ensure safe and effective use of this product, please read and follow all safety instructions carefully.

General Safety Guidelines

- Always read the product manual and safety instructions before use.
- Ensure that the workspace is clean, dry, and welllit.
- Keep the product out of reach of children and unauthorized users.
- Inspect the bushing and associated equipment for any signs of damage before use.
- Always wear appropriate safety gear, including safety glasses, when handling reloading equipment.
- Be aware of the specific hazards associated with reloading ammunition, including the handling of primers and powders.

Specific Safety Precautions for Use

- Use only the specified diameter bushings with the MATCH GRADE Full Length Die and Neck Die.
- Do not exceed the recommended pressures for the ammunition you are reloading.
- Ensure that the bushing is securely installed before sizing the case neck.
- Avoid oversizing the case neck to prevent damage to the brass and ensure proper bullet tension.
- Always work in a wellventilated area to avoid inhaling any dust or fumes from the materials used.
- Follow all manufacturer guidelines regarding the use of the bushing and dies.

Instructions for Installation and Usage

1. Installation of the Bushing:

- Remove the die from the reloading press.
- Unscrew the bushing holder from the die.
- Insert the desired bushing into the holder.
- Reattach the bushing holder to the die, ensuring it is securely fastened.

2. Using the MATCH GRADE Full Length Die:

- Place the case into the die.
- Operate the press to size the case body, bump the shoulder, and size the neck.
- Remove the case and inspect for proper sizing.

3. Using the MATCH GRADE Neck Die:

- Insert the case into the Neck Die with the installed bushing.
- Operate the press to size the neck and bump the shoulder.
- Remove the case and check for proper neck tension.

4. PostUse Care:

- Clean the bushings and dies after each use to prevent buildup of residues.
- Store the bushings in a safe and dry location to prevent damage.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, consider recycling options if available.
- Follow local guidelines for the disposal of any materials used during reloading.

Contact Information for Further Support

For questions or concerns regarding the MATCH GRADE BUSHING, please refer to the manufacturer's website or contact their customer support. Ensure that you have the product details at hand for efficient assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with your MATCH GRADE BUSHING. Always prioritize safety and stay informed about best practices in ammunition reloading. Thank you for choosing Hornady products.