

MATCH GRADE BUSHING - .263" Diameter Match Bushing

The Hornady match Grade Dies feature interchangeable neck sizing bushings that are self centering. The bushings allow the user to size the case neck to the bullet tension you desire. This eliminates the chance of over-sizing your case necks and overworking the brass. Bushings are available in .002 inch increments. The Match Grade Full Length Die will size the case body, bump the shoulder and size the case neck with the selected bushing. The Match Grade Neck Die sizes the neck with the installed bushing and bumps the shoulder only (no body sizing). Both versions feature a self centering decap spindle with an o-ring spindle tensioner, and the elliptical expander ball with headed decap pin - the same pin used in the Custom Grade Dies. These bushing sizer dies have some unique features and are very well made and finished.



Attributes

- Name: .263" Diameter Match Bushing
- Manufacturer: HORNADY
- Product no.: 749016859
- Mfr. No.: 594263
- Diameter (in): .263
- Delivery weight: 0.009kg
- Shipping height: 19mm
- Shipping width: 51mm
- Shipping length: 102mm
- UPC: 090255592634

Item details

Made in USA
EU Export Disabled

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für das HORNADY MATCH GRADE BUSHING .263" Durchmesser Match Bushing](#)
- [English: MATCH GRADE BUSHING Safety Instruction Guide](#)

Sicherheitshinweise für das HORNADY MATCH GRADE BUSHING .263" Durchmesser Match Bushing

Einleitung

Herzlichen Glückwunsch zum Kauf des HORNADY MATCH GRADE BUSHING. Dieses Produkt wurde entwickelt, um Ihnen beim Kalibrieren Ihrer Patronen zu helfen. Um die Sicherheit während der Verwendung zu gewährleisten, lesen Sie bitte diese Sicherheitshinweise sorgfältig durch.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die Bedienungsanleitung vollständig gelesen und verstanden haben, bevor Sie das Produkt verwenden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern.
- Achten Sie darauf, dass der Arbeitsbereich gut beleuchtet und frei von Hindernissen ist.
- Tragen Sie bei der Verwendung geeignete Schutzausrüstung, einschließlich Schutzbrille und Handschuhe.

Besondere Sicherheitsvorkehrungen für die Verwendung

- Überprüfen Sie vor der Verwendung, ob das Produkt beschädigt oder defekt ist. Verwenden Sie es nicht, wenn dies der Fall ist.
- Achten Sie darauf, dass die NackenGrößeneinsätze korrekt installiert sind, um eine sichere und präzise Anwendung zu gewährleisten.
- Verwenden Sie nur die empfohlenen Kaliber und Größen für die NackenGrößeneinsätze.
- Vermeiden Sie übermäßigen Druck beim Kalibrieren, um Beschädigungen am Produkt und an den Patronen zu vermeiden.
- Verwenden Sie keine Produkte, die nicht von HORNADY autorisiert sind, um die Sicherheit und Funktionalität zu gewährleisten.

Anweisungen zur Installation und Verwendung

1. Installation des NackenGrößeneinsatzes:

- Wählen Sie den entsprechenden NackenGrößeneinsatz gemäß der gewünschten Geschossanspannung.
- Setzen Sie den Einsatz in die Bushing Sizer Die ein und stellen Sie sicher, dass er fest sitzt.

2. Kalibrieren der Patronen:

- Platzieren Sie die Patrone in die Bushing Sizer Die.
- Drücken Sie den Hebel langsam und gleichmäßig, um die Patrone zu kalibrieren.
- Überprüfen Sie regelmäßig den Fortschritt und stellen Sie sicher, dass die Patrone korrekt geformt wird.

3. Nach der Verwendung:

- Reinigen Sie das Produkt gründlich, um sicherzustellen, dass keine Rückstände zurückbleiben.
- Bewahren Sie das Produkt an einem trockenen Ort auf, um Korrosion zu vermeiden.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von nicht mehr benötigten Werkzeugen und Zubehör.
- Stellen Sie sicher, dass alle Teile des Produkts umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Anliegen zu diesem Produkt, wenden Sie sich bitte an den Kundendienst von HORNADY oder an die entsprechende Kontaktstelle in Ihrem Land.

Bitte beachten Sie die oben genannten Sicherheitsrichtlinien und Vorkehrungen, um eine sichere und effektive Nutzung des HORNADY MATCH GRADE BUSHING zu gewährleisten. Ihre Sicherheit hat oberste Priorität.

MATCH GRADE BUSHING Safety Instruction Guide

Introduction

Thank you for choosing the Hornady Match Grade Bushing. This product is designed for precision reloading and ensures highquality performance. To ensure your safety and the optimal use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always handle reloading equipment with care to prevent accidents.
- Ensure that the workspace is clean and free from distractions while using the bushing.
- Keep the bushing and all reloading components out of reach of children and pets.
- Use the product only for its intended purpose.
- Regularly inspect the bushing for wear or damage before use.
- Follow all local laws and regulations regarding ammunition reloading.

Specific Safety Precautions for Use

- Wear appropriate safety gear, such as safety glasses and gloves, when reloading.
- Avoid oversizing your case necks to prevent excessive brass work and potential failure.
- Store bushings in a safe and dry location to prevent corrosion or damage.
- Do not exceed the recommended sizing increments of .002 inch.
- Ensure that the bushing is properly installed and secured before use.
- If you experience any unusual resistance during usage, stop immediately and inspect the equipment.

Instructions for Installation and Usage

1. Installation of the Bushing:

- Ensure that the Match Grade Die is clean and free of debris.
- Select the appropriate bushing based on the desired bullet tension.
- Insert the bushing into the neck sizing die, ensuring it is seated correctly.
- Tighten the die to secure the bushing in place.

2. Using the Match Grade Full Length Die:

- Place the case into the die.
- Pull the handle to size the case body, bump the shoulder, and size the neck with the selected bushing.
- Inspect the case to ensure proper sizing.

3. Using the Match Grade Neck Die:

- Place the case into the neck die.
- Pull the handle to size the neck with the installed bushing and bump the shoulder.
- Inspect the case to ensure proper sizing.

4. PostUsage Care:

- Clean the bushing and die after each use to remove any debris or residue.
- Store the bushing in a protective case to prevent damage.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local waste management regulations.
- Do not throw away in regular household trash. Check for recycling programs that accept metal components.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the contact details provided by your retailer or manufacturer. Always ensure that you have the latest information regarding product recalls and safety updates.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with the Hornady Match Grade Bushing. Always prioritize safety and stay informed about best practices in reloading. Thank you for your attention to these important guidelines.