

MATCH GRADE BUSHING - .293" DIAMETER MATCH BUSHING

The Hornady match Grade Dies feature interchangeable neck sizing bushings that are self centering. The bushings allow the user to size the case neck to the bullet tension you desire. This eliminates the chance of over-sizing your case necks and overworking the brass. Bushings are available in .002 inch increments. The Match Grade Full Length Die will size the case body, bump the shoulder and size the case neck with the selected bushing. The Match Grade Neck Die sizes the neck with the installed bushing and bumps the shoulder only (no body sizing). Both versions feature a self centering decap spindle with an o-ring spindle tensioner, and the elliptical expander ball with headed decap pin - the same pin used in the Custom Grade Dies. These bushing sizer dies have some unique features and are very well made and finished.



Attributes

- Name: .293" DIAMETER MATCH BUSHING
- Manufacturer: HORNADY
- Product no.: 749016870
- Mfr. No.: 594293
- Diameter (in): .293
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 090255592931

Item details

Made in USA
EU Export Disabled

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für die Verwendung der HORNADY MATCH GRADE BUSHING
- English: MATCH GRADE BUSHING .293" DIAMETER MATCH BUSHING Safety Instruction Guide

Sicherheitshinweise für die Verwendung der HORNADY MATCH GRADE BUSHING

Einführung

Herzlichen Glückwunsch zum Kauf der HORNADY MATCH GRADE BUSHING mit einem Durchmesser von .293 Zoll. Diese Anleitung bietet wichtige Sicherheitsinformationen und Anweisungen zur sicheren Verwendung des Produkts. Bitte lesen Sie die folgenden Abschnitte sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv verwenden.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt in Übereinstimmung mit den geltenden Vorschriften verwendet wird.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und Haustieren.
- Überprüfen Sie das Produkt regelmäßig auf Beschädigungen oder Abnutzung.
- Verwenden Sie das Produkt nicht, wenn es beschädigt ist oder Anzeichen von Abnutzung zeigt.
- Informieren Sie sich über Rückrufinformationen und Sicherheitswarnungen über die EU Safety Gate Plattform.

Besondere Sicherheitsvorkehrungen bei der Verwendung

- Tragen Sie immer geeignete Schutzausrüstung, einschließlich Schutzbrille und Handschuhe, während Sie mit dem Produkt arbeiten.
- Achten Sie darauf, dass der Arbeitsbereich gut beleuchtet und frei von Hindernissen ist.
- Vermeiden Sie den Kontakt mit Chemikalien oder anderen gefährlichen Substanzen während der Verwendung.
- Stellen Sie sicher, dass alle Teile des Produkts richtig installiert und sicher befestigt sind, bevor Sie mit der Arbeit beginnen.

Anweisungen zur Installation und Verwendung

1. Vorbereitung:

- Lesen Sie die Bedienungsanleitung sorgfältig durch, bevor Sie mit der Installation beginnen.
- Stellen Sie sicher, dass Sie alle erforderlichen Werkzeuge und Materialien zur Hand haben.

2. Installation:

- Entfernen Sie alle Verpackungsmaterialien und überprüfen Sie das Produkt auf Beschädigungen.
- Befestigen Sie die Bushing in der vorgesehenen Halterung des Kalibriergeräts.
- Stellen Sie sicher, dass die Bushing richtig ausgerichtet und sicher befestigt ist.

3. Verwendung:

- Führen Sie die Patrone in das Kalibriergerät ein.
- Stellen Sie den gewünschten Nacken des Projektils ein, indem Sie den entsprechenden BushingEinsatz verwenden.
- Führen Sie den Kalibrierungsprozess gemäß den Anweisungen des Herstellers durch.
- Überprüfen Sie regelmäßig den Zustand der Bushing und des Kalibriergeräts während des Gebrauchs.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Materialien.
- Achten Sie darauf, dass keine Teile des Produkts in die Umwelt gelangen.
- Wenn das Produkt nicht mehr verwendet werden kann, bringen Sie es zu einem Recyclingzentrum oder einer entsprechenden Entsorgungsstelle.

Kontaktinformationen für weitere Unterstützung

Wenn Sie Fragen oder Bedenken bezüglich des Produkts haben, wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben. Sie können auch die EU Safety Gate Plattform besuchen, um Informationen zu Rückrufen und Sicherheitswarnungen zu erhalten.

Vielen Dank, dass Sie sich für die HORNADY MATCH GRADE BUSHING entschieden haben. Ihre Sicherheit und Zufriedenheit sind uns wichtig.

MATCH GRADE BUSHING .293" DIAMETER MATCH BUSHING Safety Instruction Guide

Introduction

Thank you for choosing the Hornady Match Grade Bushing. This product is designed to enhance your reloading experience by providing precise control over neck sizing. However, it is essential to use this product safely and correctly to avoid any potential hazards. This guide outlines important safety instructions and general guidelines to ensure the safe use of the Match Grade Bushing.

General Safety Guidelines

- Ensure that the Match Grade Bushing is used only for its intended purpose.
- Always read and follow the manufacturer's instructions before use.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the bushing for any signs of damage before each use. Do not use if damaged.
- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling reloading materials.
- Be aware of your surroundings and ensure that the workspace is clean and free of hazards.

Specific Safety Precautions for Use

- When using the Match Grade Bushing, ensure that it is properly installed in the resizing die.
- Avoid oversizing the case neck, as this can lead to case failure and potentially dangerous situations.
- Handle all reloading components with care to prevent accidental spills or contamination.
- Store the bushing in a secure location when not in use to prevent loss or damage.
- Keep the work area wellventilated to minimize exposure to any dust or fumes generated during the reloading process.
- Never leave the reloading process unattended.

Instructions for Installation and Usage

1. Installation of the Bushing:

- Remove the resizing die from the press.
- Select the appropriate bushing size for your intended bullet tension.
- Insert the bushing into the neck sizing die, ensuring it is seated correctly.
- Reattach the resizing die to the press securely.

2. Using the Match Grade Bushing:

- Adjust the die to the desired setting according to the manufacturer's instructions.
- Insert the case into the die and operate the press to size the neck.
- Check the tension on the bullet by inserting it into the sized neck.
- Repeat the sizing process as necessary, adjusting the bushing size if needed.

3. PostUse Care:

- After use, clean the bushing and die to remove any debris or residue.
- Store the bushing in a dry and safe location to prevent corrosion or damage.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the bushing in regular household waste. Instead, check for recycling options or designated disposal facilities for metal products.
- Ensure that all reloading components are disposed of safely and responsibly.

Contact Information for Further Support

For additional information or support regarding the Match Grade Bushing, please refer to the manufacturer's website or contact their customer service department. It is important to have access to reliable support for any questions or concerns regarding product safety and usage.

Thank you for following these safety guidelines. By adhering to these instructions, you can ensure a safe and effective reloading experience with your Hornady Match Grade Bushing.