

# SINCLAIR PRIMING TOOL SHELL HOLDERS - PRIMING TOOL SHELL HOLDER #16 SS 300 DAKOTA/404 JEFFERY

[Reloading](#) > [Shellholders & Shellplates](#)

Sinclair Priming Tool Shell Holders are designed to work specifically in your Sinclair Priming Tool. Each shell holder is precision ground from stainless steel for a lifetime of fit and function. Model number is stamped on the top of the shell holder.



## Attributes

- Name: [PRIMING TOOL SHELL HOLDER #16 SS 300 DAKOTA/404 JEFFERY](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749101041
- Mfr. No.: 105016
- Cartridge: 404 Jeffery,300 Dakota,330 Dakota,416 Dakota
- Style: Priming Tool
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Sinclair Priming Tool Shell Holders Safety Instructions
- About Us

# Sinclair Priming Tool Shell Holders Safety Instructions

## Introduction

Thank you for choosing the Sinclair Priming Tool Shell Holder #16 SS for your reloading needs. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of your priming tool. Please read this manual carefully before use to ensure a safe and enjoyable experience.

## General Safety Guidelines

- Always use the Sinclair Priming Tool Shell Holder as intended to avoid accidents and injuries.
- Ensure that the shell holder is compatible with your Sinclair Priming Tool and the cartridges specified (404 Jeffery, 330 Dakota, 300 Dakota, 416 Dakota).
- Keep the shell holder and all reloading materials out of reach of children and vulnerable individuals.
- Regularly inspect the shell holder for damage or wear. Do not use if damaged.
- Report any unsafe products or incidents to the appropriate authorities and check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using the priming tool.
- Ensure that the workspace is clean and free from clutter to prevent accidents.
- Do not exceed the recommended cartridge specifications when using the shell holder.
- Always follow the manufacturer's instructions for the Sinclair Priming Tool and associated components.
- Avoid distractions while reloading to maintain focus and safety.

## Instructions for Installation and Usage

### 1. Installation of the Shell Holder

- Ensure that your Sinclair Priming Tool is clean and free from debris.
- Align the shell holder with the tool's base and press it firmly into place until it is securely fitted.
- Confirm that the model number is correctly stamped on the top of the shell holder for identification.

### 2. Usage of the Priming Tool

- Load the appropriate cartridge into the shell holder.
- Follow the specific reloading instructions for your cartridges to ensure proper priming.
- Operate the priming tool in a controlled manner, applying consistent pressure.
- After use, carefully remove the shell holder from the tool and store it in a safe location.

## Disposal Instructions

- Dispose of any damaged or worn shell holders in accordance with local regulations for metal waste.
- Do not dispose of the shell holder in regular household waste. Check with local authorities for proper disposal methods.

## Contact Information for Further Support

For any inquiries or concerns regarding the Sinclair Priming Tool Shell Holder, please refer to the manufacturer's contact resources available on their official website or product packaging.

By following these guidelines and instructions, you can ensure a safe and effective experience with your Sinclair Priming Tool Shell Holder. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)