

BOLT LOCK COVER PLATE

[Rifle Parts](#) > [Bolt Parts](#) > [Bolt Hardware](#) > [Bolt Sleeves](#)

FITS: Mini-14® - Common Parts, .223; Mini-30®, 7.62 x 39



Attributes

- Name: [BOLT LOCK COVER PLATE](#)
- Manufacturer: [RUGER](#)
- Product no.: 780000855
- Mfr. No.: MS06700
- Make: Ruger
- Model: Mini-14,Mini-30
- Delivery weight: 0.009kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- BOLT LOCK COVER PLATE Safety Instruction Guide
- About Us

BOLT LOCK COVER PLATE Safety Instruction Guide

Introduction

Thank you for purchasing the BOLT LOCK COVER PLATE designed for Ruger Mini14® and Mini30® firearms. This safety instruction guide provides essential information to ensure safe and effective use of the product. It is important to read and understand these instructions before installation and use.

General Safety Guidelines

- Ensure that the BOLT LOCK COVER PLATE is installed correctly to avoid any operational hazards.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the BOLT LOCK COVER PLATE for signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about the safety of your product.

Specific Safety Precautions for Use

- Do not use the BOLT LOCK COVER PLATE if it appears damaged or compromised in any way.
- Ensure the firearm is unloaded before installation or maintenance.
- Follow all manufacturer instructions related to the use of your Ruger Mini14® and Mini30® firearms.
- Avoid using the product in extreme temperatures or conditions that may affect its performance.
- If you are unfamiliar with firearm maintenance, seek assistance from a qualified professional.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation, such as a screwdriver.

2. Installation Steps

- Locate the existing cover plate on your Ruger Mini14® or Mini30®.
- Remove the old cover plate by unscrewing it carefully.
- Align the BOLT LOCK COVER PLATE with the mounting holes.
- Secure the BOLT LOCK COVER PLATE by tightening the screws until snug. Do not overtighten.
- Verify that the cover plate is firmly in place and does not move.

3. Usage

- After installation, perform a function check of the firearm to ensure proper operation.
- Regularly inspect the BOLT LOCK COVER PLATE during routine maintenance of your firearm.

Disposal Instructions

- Dispose of any packaging material in accordance with local waste management regulations.
- If the BOLT LOCK COVER PLATE is damaged beyond use, consult local regulations for proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support regarding the BOLT LOCK COVER PLATE, please refer to the manufacturer's contact resources available on their official website or product packaging.

By following these guidelines, you can help ensure your safety and the safe operation of your firearm. Thank you for your attention to these important safety instructions.

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de