

# CONTOUR #3 BARREL - SHILEN 22 CALIBER 1-9 TWIST #3 CHROME MOLY BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

## Contour #3 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



## Attributes

- Name: [SHILEN 22 CALIBER 1-9 TWIST #3 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787224093
- Mfr. No.: 2293CM
- Caliber: 22 Caliber (.223-.224)
- Contour: #3
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-9
- Delivery weight: 1.565kg
- Shipping height: 28mm
- Shipping width: 30mm
- Shipping length: 654mm

## **Item details**

Made in USA

US export classification: 0A501.c

# Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 22 CALIBER 19 TWIST #3 CHROME MOLY BARREL
- About Us

# Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 22 CALIBER 19 TWIST #3 CHROME MOLY BARREL

## Introduction

Thank you for choosing the CONTOUR #3 BARREL SHILEN 22 CALIBER 19 TWIST #3 CHROME MOLY BARREL. This guide provides essential safety instructions to ensure the safe use and handling of your barrel. It is designed to comply with the EU General Product Safety Regulation (GPSR) and to help you understand how to use this product safely and effectively.

## General Safety Guidelines

- Ensure that the barrel is used only by individuals who are knowledgeable about firearms and their safe handling.
- Always follow local laws and regulations regarding firearms and barrel usage.
- Inspect the barrel for any visible damage or defects before use.
- Store the barrel in a secure location, away from children and unauthorized users.
- Use the barrel only with compatible firearms and ammunition.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling or using the barrel.
- Never point the firearm at anything you do not intend to shoot.
- Keep your finger off the trigger until you are ready to shoot.
- Ensure the firearm is unloaded when attaching or detaching the barrel.
- Be aware of your surroundings and ensure a safe shooting environment.
- Do not attempt to modify or alter the barrel in any way.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded.
- Remove the existing barrel from the firearm according to the manufacturer's instructions.
- Align the CONTOUR #3 BARREL with the firearm's receiver.
- Securely tighten the barrel using the appropriate tools, ensuring it is properly seated.

### 2. Usage:

- Load the firearm with compatible .22 caliber ammunition.
- Confirm that the barrel is securely attached before firing.
- Follow standard firearm safety practices during shooting.
- After use, clean the barrel according to the manufacturer's recommendations to maintain performance and safety.

## Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding metal and firearm components.
- Do not dispose of the barrel in regular household waste.
- If the barrel is damaged or no longer usable, contact a local recycling facility that handles metal products.

## **Contact Information for Further Support**

For any questions regarding the safety and handling of the CONTOUR #3 BARREL SHILEN 22 CALIBER 19 TWIST #3 CHROME MOLY BARREL, please reach out to your local dealer or manufacturer. They will provide the necessary support and information.

By following these safety instructions, you can ensure a safe and enjoyable experience with your CONTOUR #3 BARREL. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)