

CONTOUR #3 BARREL - SHILEN 22 CALIBER 1-12 TWIST #3 CHROME MOLY BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #3 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 22 CALIBER 1-12 TWIST #3 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787224123
- Mfr. No.: 22123CM
- Caliber: 22 Caliber (.223-.224)
- Contour: #3
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-12
- Delivery weight: 1.588kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 22 CALIBER 112 TWIST #3 CHROME MOLY BARREL
- About Us

Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 22 CALIBER 112 TWIST #3 CHROME MOLY BARREL

Introduction

Thank you for choosing the CONTOUR #3 BARREL SHILEN 22 CALIBER 112 TWIST #3 CHROME MOLY BARREL. This guide provides essential safety information and instructions to ensure the safe use and handling of your barrel. Please read this document carefully before installation or use.

General Safety Guidelines

- Ensure that you are familiar with the operation of firearms and the specific requirements for the use of barrels.
- Always handle firearms and firearm components with care, treating every gun as if it is loaded.
- Store your barrel and firearms in a secure location, out of reach of children and unauthorized users.
- Inspect the barrel for any visible damage before installation. Do not use a damaged barrel.
- Follow all local laws and regulations regarding the ownership and use of firearms and firearm components.

Specific Safety Precautions for Use

- Only use the barrel with compatible firearms as specified by the manufacturer.
- Ensure that all ammunition used is appropriate for the caliber of the barrel.
- Do not exceed the manufacturer's specifications for ammunition type, pressure, or load.
- Wear appropriate eye and ear protection when handling or firing firearms.
- Avoid using the barrel for any purpose other than its intended use.
- Do not attempt to modify or alter the barrel in any way.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials for installation.
- Ensure that the firearm is unloaded and the action is open.

2. Installation:

- Carefully remove the old barrel from the firearm, following the manufacturer's instructions.
- Clean the threads and mounting surfaces of the firearm to ensure a proper fit.
- Align the new barrel with the receiver and handtighten it in place.
- Use appropriate tools to securely fasten the barrel, ensuring it is properly aligned.
- Check for any signs of misalignment or excessive force during installation.

3. Usage:

- Before firing, doublecheck that the barrel is securely attached and that all components are functioning properly.
- Conduct a test firing in a safe and controlled environment to ensure proper function.
- Monitor the barrel for any signs of wear or damage during use.

Disposal Instructions

- When disposing of the barrel, follow local regulations regarding the disposal of firearm components.
- Ensure that the barrel is rendered unusable before disposal to prevent misuse.
- Consider recycling the barrel if possible, in accordance with local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the CONTOUR #3 BARREL SHILEN 22 CALIBER 112 TWIST #3 CHROME MOLY BARREL, please refer to the manufacturer's contact information provided with your product.

By following these safety instructions, you can help ensure safe and effective use of your barrel. Always prioritize safety and responsible handling of firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk