

CONTOUR #3 BARREL - SHILEN 7MM 1-9 TWIST #3 CHROME MOLY BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #3 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003" No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 7MM 1-9 TWIST #3 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787284093
- Mfr. No.: 7MM93CM
- Caliber: 284/7 mm (.284)
- Contour: #3
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-9
- Delivery weight: 1.497kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 7MM 19 TWIST #3 CHROME MOLY BARREL
- About Us

Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 7MM 19 TWIST #3 CHROME MOLY BARREL

Introduction

Thank you for choosing the CONTOUR #3 BARREL SHILEN 7MM 19 TWIST #3 CHROME MOLY BARREL. This guide provides essential safety instructions to ensure the safe use and handling of your barrel. Please read this manual carefully before installation and usage to understand the potential hazards and how to avoid them.

General Safety Guidelines

- Ensure that you are familiar with all local laws and regulations regarding firearm components and usage.
- Always treat every firearm and component as if it were loaded.
- Use appropriate safety gear, including eye and ear protection, when handling firearms.
- Store the barrel in a secure location, away from unauthorized access, particularly from children.
- Regularly inspect the barrel for any signs of damage or wear before use.
- Do not attempt to modify or alter the barrel in any way, as this may compromise safety and performance.
- Report any unsafe conditions or accidents to the relevant authorities immediately.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the barrel is compatible with your firearm before installation.
- Only use ammunition that is specified for the barrel's caliber (284/7mm).
- Avoid using damaged or defective ammunition as it can cause malfunctions or accidents.
- Do not exceed the recommended load specifications for the barrel.
- Always follow the manufacturer's instructions for installation and usage.
- Never point the firearm at anything you do not intend to shoot.
- Keep your fingers off the trigger until you are ready to shoot.
- Be aware of your surroundings and ensure that the shooting area is clear of people and animals.

Instructions for Installation and Usage

1. Installation:

- Ensure that you have the necessary tools and equipment for installation.
- Follow the specific instructions provided by the firearm manufacturer for barrel installation.
- Ensure that the barrel is securely attached to the firearm before use.
- Doublecheck all connections and fittings to ensure they are tight and secure.

2. Usage:

- Before firing, check that the barrel is clean and free from obstructions.
- Load the firearm according to the manufacturer's instructions.
- When ready to shoot, adopt a stable shooting position and align your sights.
- After firing, inspect the barrel for any signs of damage or excessive wear.
- Clean the barrel regularly to maintain performance and safety.

Disposal Instructions

- Dispose of any damaged or defective barrels in accordance with local regulations.
- Do not discard barrels in regular waste; contact local authorities for proper disposal methods.
- Ensure that all components are rendered unusable before disposal to prevent misuse.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk