

CONTOUR #3 BARREL - SHILEN 6.5MM 1-9 TWIST #3 STAINLESS BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #3 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 6.5MM 1-9 TWIST #3 STAINLESS BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787926093
- Mfr. No.: 6593SS
- Caliber: 264/6.5 mm (.264)
- Contour: #3
- Material: Stainless Steel
- Style: Match-Grade
- Twist: 1-9
- Delivery weight: 1.565kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 STAINLESS BARREL
- About Us

Safety Instruction Guide for CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 STAINLESS BARREL

Introduction

Thank you for choosing the CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 STAINLESS BARREL. This guide provides essential safety instructions to ensure the safe use and handling of this product. Please read this document carefully to understand how to use the barrel safely and effectively.

General Safety Guidelines

- Ensure that all users are familiar with firearm safety practices.
- Always handle firearms and components as if they are loaded.
- Store the barrel in a secure location, away from unauthorized users, especially children.
- Inspect the barrel regularly for signs of wear or damage before each use.
- Follow all local laws and regulations regarding firearms and firearm components.

Specific Safety Precautions for Use

- Always use appropriate ammunition that matches the specifications of the barrel.
- Do not attempt to modify or alter the barrel in any way.
- Use the barrel only in firearms that are designed to accommodate it.
- Ensure that the firearm is pointed in a safe direction at all times during handling and use.
- Wear appropriate eye and ear protection when using firearms equipped with this barrel.
- Avoid using the barrel in adverse weather conditions that could affect performance.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Remove the existing barrel from the firearm according to the manufacturer's instructions.
- Clean the barrel mounting area to remove any debris or residue.
- Align the CONTOUR #3 BARREL with the mounting area and secure it according to the manufacturer's specifications.
- Check for proper alignment and ensure that the barrel is firmly attached.

2. Usage:

- Load the firearm with the appropriate ammunition.
- Check the safety mechanism of the firearm before firing.
- Fire the firearm in a controlled environment, ensuring that all safety measures are in place.
- After use, clean the barrel thoroughly to maintain performance and longevity.

Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding firearm components.
- If the barrel is damaged or no longer usable, consider contacting a professional for safe disposal options.
- Do not dispose of the barrel in regular household waste.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 STAINLESS BARREL, please refer to the manufacturer's contact information provided on the product packaging or documentation.

By following these safety instructions, you can ensure a safe and enjoyable experience with your CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 STAINLESS BARREL. Always prioritize safety and compliance with applicable regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk