

FRONT SWIVEL RIVET BLACK STEEL - SPRINGFIELD ARMORY

FRONT SWIVEL RIVET BLACK STEEL

[Rifle Parts](#) > [Stock Parts](#) > [Swivel Parts](#) > [Swivel Hardware](#)

FITS: M1A, .308

FRONT SWIVEL RIVET BLACK STEEL



Attributes

- Name: [SPRINGFIELD ARMORY FRONT SWIVEL RIVET BLACK STEEL](#)
- Manufacturer: [SPRINGFIELD ARMORY](#)
- Product no.: 817000093
- Mfr. No.: FS0713
- Colour: Black
- Finish: Black
- Material: Steel
- Model: M14,M1A
- Weapon type: Springfield
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 706397855147

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for FRONT SWIVEL RIVET BLACK STEEL](#)
- [About Us](#)

Safety Instruction Guide for FRONT SWIVEL RIVET BLACK STEEL

Introduction

Thank you for choosing the FRONT SWIVEL RIVET BLACK STEEL by Springfield Armory. This guide provides essential safety instructions to ensure the safe and effective use of the product. It complies with the EU General Product Safety Regulation (GPSR) to protect consumers.

General Safety Guidelines

- Ensure the product is suitable for your specific firearm model (M14, M1A).
- Always handle the product with care to avoid injury.
- Inspect the rivet for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit for the rivet.
- Ensure that the rivet is properly secured before use to prevent accidents.
- Avoid using the product in extreme weather conditions that may affect its performance.
- Regularly check for rust or corrosion, particularly if exposed to moisture.
- If you notice any unusual sounds or movements during use, stop immediately and inspect the product.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation (e.g., screwdriver, wrench).
- Ensure that the firearm is unloaded and in a safe condition.

2. Installation:

- Identify the location on your firearm where the rivet will be installed.
- Align the rivet with the mounting hole.
- Secure the rivet using the appropriate tools, ensuring it is tightly fastened.

3. Usage:

- After installation, check the stability of the rivet before using the firearm.
- Follow the manufacturer's guidelines for using the firearm with the installed rivet.

4. PostUse Inspection:

- After each use, inspect the rivet for any signs of damage or loosening.
- If any issues are found, do not use the firearm until the rivet has been repaired or replaced.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the official contact point provided by the manufacturer or your retailer.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your FRONT SWIVEL RIVET BLACK STEEL. Always prioritize safety and stay informed about any product updates or recalls. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk