

SLING SWIVEL REPLACEMENT SCREWS, 4 PACK

[Rifle Parts](#) > [Stock Parts](#) > [Butt Plate Parts](#) > [Grip Caps](#)

Slotted Screws for Sling Swivel Bases and Sunny Hill Grip Caps. .035 Slot, 8-24 thread



Attributes

- Name: [SLING SWIVEL REPLACEMENT SCREWS, 4 PACK](#)
- Manufacturer: [SUNNY HILL](#)
- Product no.: 848000010
- Mfr. No.: 212
- Finish: Unfinished
- Material: Steel
- Delivery weight: 0.009kg
- Shipping height: 6mm
- Shipping width: 51mm
- Shipping length: 95mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sling Swivel Replacement Screws
- About Us

Safety Instruction Guide for Sling Swivel Replacement Screws

Introduction

Thank you for choosing the Sling Swivel Replacement Screws, 4 Pack. This product is designed for use with sling swivel bases and Sunny Hill grip caps. To ensure safe and effective use, please read this safety instruction guide carefully. It is important to follow all safety guidelines and instructions to prevent accidents and ensure optimal performance.

General Safety Guidelines

- Always inspect the product before use to ensure it is in good condition.
- Keep the screws out of reach of children to prevent accidental ingestion or injury.
- Do not use the screws for any purpose other than intended.
- Follow all manufacturer guidelines for installation and usage.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure you are using the correct size and type of screws for your specific application.
- Be cautious when handling screws to avoid cuts or puncture wounds.
- Use appropriate tools for installation to prevent injury.
- Avoid using damaged screws as they may not perform as expected and could cause injury.
- Store screws in a dry and safe location to prevent rust and deterioration.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver compatible with the slotted screws.
- Ensure the work area is clean and free of distractions.

2. Installation:

- Align the sling swivel base or grip cap with the mounting surface.
- Insert the slotted screw into the predrilled hole.
- Use the screwdriver to tighten the screw securely, but do not overtighten to avoid damaging the material.

3. Usage:

- Once installed, ensure that the sling swivel operates smoothly.
- Regularly check the screws for tightness and signs of wear or damage.
- If any issues arise, remove the screws and inspect for damage before reinstallation.

Disposal Instructions

- Dispose of any unused or damaged screws responsibly.
- Follow local regulations for metal disposal.
- Do not throw screws in the general waste if they can be recycled.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Sling Swivel Replacement Screws, please refer to the manufacturer's contact information, which is typically found on the product packaging or the manufacturer's website.

By following these guidelines and instructions, you can ensure a safe and effective experience with your Sling Swivel Replacement Screws. Thank you for your attention to safety!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at