

#178 S&W K,L,N FRAME SPRING KIT - WILSON COMBAT WILSON KIT # 178

[Handgun Parts](#) > [Action Parts](#) > [Spring Kits](#)

Add Reliability, Improve Function

High quality springs drop-in to improve handgun performance. High tensile strength wire delivers reliable function. #178 S&W K,L,N Frame - RP mainspring; RP 12, 13 & 14 lb rebound springs.



Attributes

- Name: [WILSON COMBAT WILSON KIT # 178](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965178000
- Mfr. No.: 178
- Delivery weight: 0.014kg
- Shipping height: 8mm
- Shipping width: 79mm
- Shipping length: 173mm
- UPC: 874218000387

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instructions for #178 S&W K,L,N Frame Spring Kit](#)
- [About Us](#)

Safety Instructions for #178 S&W K,L,N Frame Spring Kit

Introduction

Thank you for choosing the #178 S&W K,L,N Frame Spring Kit by Wilson Combat. This highquality spring kit is designed to enhance the performance of your handgun. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always handle firearms with care and ensure they are unloaded before performing any maintenance or modifications.
- Use only the specified components for your firearm model to avoid compatibility issues.
- Keep the spring kit and all firearm components out of reach of children and unauthorized users.
- Regularly inspect your firearm for any signs of wear or damage, especially after installation of new parts.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about any recalls or safety updates related to your product on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure you are wearing appropriate safety gear, such as eye protection, when handling springs or performing maintenance on your firearm.
- Be cautious of spring tension when installing or removing springs, as they can snap back and cause injury.
- Do not modify or alter the springs in any way, as this can compromise safety and performance.
- Follow all local laws and regulations regarding firearm modifications.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and placed on a stable surface.
- Gather all necessary tools and safety equipment.

2. Installation Steps:

- Carefully remove the existing mainspring and rebound springs from your firearm.
- Take the RP mainspring and the appropriate RP 12, 13, or 14 lb rebound springs from the kit.
- Install the RP mainspring by following the manufacturer's instructions for your specific firearm model.
- Insert the selected rebound spring into the designated location, ensuring it is seated properly.
- Doublecheck that all components are securely in place before reassembling your firearm.

3. PostInstallation:

- After installation, perform a function check to ensure the firearm operates correctly.
- If you notice any irregularities, consult a qualified gunsmith before using the firearm.

Disposal Instructions

- Dispose of any old springs and components in accordance with local regulations.
- Do not dispose of springs in a manner that could pose a hazard to the environment or public safety.
- Consider recycling options where available.

Contact Information for Further Support

For further assistance or inquiries regarding the #178 S&W K,L,N Frame Spring Kit, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

Thank you for prioritizing safety and compliance. Enjoy the enhanced performance of your firearm with the #178 S&W K,L,N Frame Spring Kit by Wilson Combat.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk