

Schließfeder für P220/P226 - Starke gedrillte Schließfeder für P220/P226 - Sig Sauer, SIG - P226, P220 - .45Auto, .45 ACP

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Für die P226 (Standard & X-Serie) Schließfeder aus Beständen Sig Eckernförde gem. letzten Produktions-/Zeichnungsstand vorliegen:

- Schließfeder „stark“ für .45ACP (gedrillte Ausführung)



Attributes

- Name: [Starke gedrillte Schließfeder für P220/P226 - Sig Sauer, SIG - P226, P220 - .45Auto, .45 ACP](#)
- Manufacturer: [SIG SAUER, INC.](#)
- Product no.: BRD216014
- Mfr. No.: 71001282
- Caliber: .45Auto, .45 ACP
- Make: Sig Sauer, SIG
- Model: P226, P220
- Delivery weight: 0.01kg
- Shipping height: 20mm
- Shipping width: 20mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Schließfeder für P220/P226](#)
- [About Us](#)

Safety Instruction Guide for Schließfeder für P220/P226

Introduction

Thank you for choosing the Schließfeder für P220/P226, a recoil spring designed for the P220 and P226 models by Sig Sauer. This guide provides essential safety instructions to ensure the safe use and handling of this product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified by the manufacturer.
- Regularly inspect the recoil spring for any signs of wear or damage before use.
- Store the product in a safe and dry place, away from children and unauthorized users.
- Follow all local laws and regulations regarding the use of firearms and firearm accessories.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure that the firearm is unloaded before installing or replacing the recoil spring.
- Do not attempt to modify the recoil spring as this may compromise its safety and effectiveness.
- Keep the recoil spring away from heat sources and open flames.
- Be aware that improper installation can lead to malfunctioning of the firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the correct tools for installation.
- Work in a clean, welllit environment.

2. Installation Steps:

- Unload the firearm completely and ensure it is pointed in a safe direction.
- Disassemble the firearm according to the manufacturer's instructions.
- Remove the old recoil spring carefully.
- Install the new Schließfeder by aligning it properly in the designated area.
- Reassemble the firearm following the manufacturer's guidelines.

3. PostInstallation Check:

- After installation, perform a function check to ensure the firearm operates correctly.
- If any issues arise, consult a qualified gunsmith for assistance.

Disposal Instructions

- Dispose of the recoil spring in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options available in your area for metal components.

Contact Information for Further Support

For any safety inquiries or support regarding this product, please refer to the contact information provided by your retailer or the manufacturer.

By following these instructions and safety guidelines, you can ensure a safe and effective experience with your Schließfeder für P220/P226. Always prioritize safety and compliance with applicable laws and regulations. Thank you for your attention to these important safety measures.

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de