

Front Sight, 6" LLV/Scorpion

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Replacement front sights designed specifically for either the Volquartsen Scorpion pistol or LLV Competition Upper 6". Drop-in sights use existing pre-drilled & tapped holes.



Attributes

- Name: [Front Sight, 6" LLV/Scorpion](#)
- Manufacturer: [VOLQUARTSEN](#)
- Product no.: BRD231007
- Mfr. No.: VCSFS-6
- Model: LLV Upper, Scorpion
- Delivery weight: 0.01kg
- Shipping height: 15mm
- Shipping width: 110mm
- Shipping length: 180mm
- UPC: 810162017941

Table of Contents

- Startpage
- Front Sight Safety Instruction Guide
- About Us

Front Sight Safety Instruction Guide

Introduction

Thank you for choosing the Front Sight, 6" LLV/Scorpion Front Sight. This product is designed specifically for use with the Volquartsen Scorpion pistol or LLV Competition Upper 6". Please read this safety instruction guide carefully to ensure safe and proper use of your new front sight.

General Safety Guidelines

To ensure safe use of the Front Sight, please follow these general safety guidelines:

- Always handle firearms and accessories with care and respect.
- Ensure that the firearm is unloaded before installing or adjusting the front sight.
- Keep the product out of reach of children and unauthorized users.
- Inspect the front sight regularly for any signs of damage or wear.
- Do not use the front sight if it is damaged or has been altered in any way.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

When using the Front Sight, please observe the following safety precautions:

- Always wear appropriate eye protection when handling firearms.
- Use the front sight only with compatible models (LLV Upper and Scorpion).
- Ensure that the front sight is securely installed before use.
- Do not attempt to modify or repair the front sight yourself.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm.

Instructions for Installation and Usage

To properly install and use the Front Sight, please follow these instructions:

1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools for installation, including a screwdriver.

2. Installation:

- Locate the existing predrilled and tapped holes on your LLV Upper or Scorpion.
- Align the front sight with the holes and insert the screws provided.
- Tighten the screws securely, but do not overtighten to avoid damage.

3. Usage:

- After installation, check the alignment of the front sight with the rear sight.
- Adjust the sight as needed for optimal accuracy.
- Always perform a function check to ensure the firearm operates correctly with the new sight installed.

Disposal Instructions

When disposing of the Front Sight, please follow these guidelines:

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the front sight is damaged, consider contacting a professional for proper disposal.

Contact Information for Further Support

For any inquiries or concerns regarding the Front Sight, please refer to the product packaging or visit the manufacturer's website for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your Front Sight, 6" LLV/Scorpion Front Sight. Thank you for your attention to safety.

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de