

Front Sight, LLV/Scorpion - Front Sight, 6" LLV/Scorpion

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Replacement front sights designed specifically for either the Volquartsen Scorpion pistol or LLV Competition Upper. Drop-in sights use existing pre-drilled & tapped holes. Includes mounting screws.



Attributes

- Name: [Front Sight, 6" LLV/Scorpion](#)
- Manufacturer: [VOLQUARTSEN](#)
- Product no.: BRD231205
- Mfr. No.: VCSFS-6
- Make: Ruger
- Model: 6" LLV/Scorpion
- Delivery weight: 0.2kg
- UPC: 810162017941

Table of Contents

- Startpage
- Front Sight Safety Instruction Guide
- About Us

Front Sight Safety Instruction Guide

Introduction

Thank you for choosing the Front Sight, LLV/Scorpion Front Sight. This product is designed specifically for the Volquartsen Scorpion pistol or LLV Competition Upper. Please read this safety instruction guide carefully to ensure safe use and installation of the product.

General Safety Guidelines

- Always handle firearms with care and follow all general firearm safety practices.
- Ensure that the firearm is unloaded before installing or adjusting the front sight.
- Keep the front sight and all related components out of reach of children and unauthorized users.
- Regularly inspect the front sight for any signs of wear or damage.
- If you notice any issues, discontinue use and consult a qualified gunsmith or contact the manufacturer.

Specific Safety Precautions for Use

- Only use this front sight with compatible models: Ruger 6" LLV/Scorpion.
- Do not modify the front sight or attempt to use it with incompatible firearms.
- Always wear appropriate eye protection while handling or using firearms.
- Ensure that the mounting screws are securely tightened to prevent the sight from loosening during use.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools, including a screwdriver suitable for the mounting screws provided.

2. Installation Steps

- Locate the existing predrilled and tapped holes on your firearm.
- Align the front sight with the holes and carefully position it.
- Insert the provided mounting screws into the holes and tighten them securely, ensuring not to overtighten.
- Doublecheck that the front sight is firmly attached and properly aligned.

3. Usage

- After installation, perform a function check on your firearm to ensure everything operates correctly.
- Familiarize yourself with the sight alignment and adjustments before heading to the shooting range.
- Always follow best practices for firearm handling and safety during use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the front sight becomes damaged beyond repair, dispose of it in a manner that prevents it from being used improperly.
- Recycle materials whenever possible, following local recycling guidelines.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact details provided with the product packaging or visit their official website.

Thank you for your attention to these safety instructions. Your safety and the safety of others is of utmost importance. Enjoy your shooting experience with the Front Sight, LLV/Scorpion Front Sight.

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de