

VF-ORYX-S, 22 LR

[Firearms](#) > [Rifles](#) > [Semi-Auto](#)

Are you looking for the ultimate precision semi-auto? The VF-ORYX is just that.

It starts with a CNC-machined stainless steel receiver. This receiver features an integral 20 MOA rail making it ideal for long-range rimfire shooting.



The Snake Fluted Barrel is threaded into the receiver increasing rigidity between barrel and action.

As with all of our rifles, it features CNC-machined and wire-EDM components as we feel this is essential in building the best semi-auto rimfire rifle available. The CNC-machined bolt includes a titanium round firing pin and tuned extractor for improved performance and function.

The TG2000 trigger group provides a crisp, clean 2.25lb trigger pull. Both pretravel and overtravel are user-adjustable to the shooter's preference.

The VF-ORYX is set into the ORYX Chassis from MDT - perfect when shooting from the bench, a bipod, or a prone position!

What is the ORYX chassis?

ORYX is a one-piece integrated aluminum chassis and buttstock created to improve the consistency and accuracy of your rifle. From the forend to the buttpad, the ORYX is a one-piece aircraft grade aluminum setup.

Featuring a free floating barrel, contoured forend grip, adjustable cheek riser, and overmolded pistol grip it doesn't get much more comfortable than the ORYX Chassis. It also features a .25" spacer in the buttpad for adjustable LOP.

- **Zeiss Conquest V4 6-24x50 (part #522955-9965-090), with rings**
- **Abzugsgewicht :2.25lb**
- **1x Magazin 10 Schuss**
- **Scope is mounted in TPS scope rings, made from 7075 aluminum**
- **The length of pull can be extended with the Oryx Buttpad Spacer Kit**
- **Stainless steel receiver with threaded in barrel**
- **Integral Picatinny rail**



Attributes

- Name: [VF-ORYX-S, 22 LR](#)
- Manufacturer: [VOLQUARTSEN](#)
- Product no.: BRD231340

- Mfr. No.: VF-ORYX-S
- Barrel Length: 18.5"
- Barrel Type: compensator
- Caliber: .22lr
- Color: O.D. Green
- Elevation: 20 MOA
- Hand: Ambidextrous
- Magazine Included: 1 x 10-Round
- Make: Volquartsen
- Model: VF-ORYX-S
- Muzzle Threads: 1/2-28
- Twist Rate: 1-16
- Delivery weight: 5.7kg
- UPC: 810162019532

Item details

EU Export Disabled

Table of Contents

- Startpage
- VFORYXS Safety Instruction Guide
- About Us

VFORYXS Safety Instruction Guide

Introduction

Thank you for choosing the VFORYXS, a precision semiautomatic rifle designed for optimal performance and accuracy. This guide provides essential safety instructions and guidelines to ensure the safe use of your rifle in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep the muzzle pointed in a safe direction at all times.
- Store your rifle in a secure place, out of reach of children and unauthorized users.
- Use appropriate eye and ear protection when shooting.
- Ensure that you are familiar with the laws and regulations regarding firearm ownership and use in your area.
- Regularly inspect your rifle for any signs of wear or damage.
- Do not use ammunition that is not specified for your rifle.
- Always follow the manufacturer's instructions for maintenance and use.

Specific Safety Precautions for Use

- Before handling the rifle, ensure that it is unloaded.
- Never place your finger on the trigger until you are ready to shoot.
- Be aware of your surroundings and ensure that you have a clear and safe backstop before firing.
- Do not shoot at hard surfaces or water, as this may cause ricochets.
- If you experience a misfire, keep the rifle pointed downrange for at least 30 seconds before attempting to clear the malfunction.
- Only use the rifle in designated shooting areas or ranges.
- Ensure that all bystanders are at a safe distance while shooting.

Instructions for Installation and Usage

• Installation of Scope:

- Carefully follow the manufacturer's instructions for mounting the scope.
- Ensure that the scope is securely attached to the rifle using the provided rings.

• Loading the Magazine:

- Ensure the rifle is pointed in a safe direction.
- Insert the magazine into the magazine well until it clicks into place.
- Load the appropriate ammunition into the magazine, ensuring it is seated properly.

• Firing the Rifle:

- Check that the safety is in the "on" position before loading.
- Once ready to fire, disengage the safety.
- Aim at your target and gently squeeze the trigger to fire.

• Adjusting the Trigger:

- The TG2000 trigger group allows for user adjustments. Follow the manufacturer's instructions for making adjustments to pretravel and overtravel.

- **Adjusting Length of Pull:**

- The length of pull can be adjusted using the Oryx Buttpad Spacer Kit. Follow the instructions provided with the kit for proper installation.

Disposal Instructions

- When disposing of the rifle, ensure that it is rendered inoperable.
- Follow local regulations for the disposal of firearms and ammunition.
- Contact local authorities for guidance on safe disposal options.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's website or contact your local authorized dealer.

Thank you for prioritizing safety while using your VFORYXS. Enjoy your shooting experience responsibly!

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de