

Auto Bolt Release - Stainless Steel - MKIII 22/45

Ruger 22/45 Auto Bolt Release

We have simplified the unloading of the bolt on the Ruger 22/45. No more manual operation of the bolt retaining lever to release the bolt. Simply pull and release the bolt handle.

Features:

- **Increased contact surface:** Ensures that the bolt does not wear like the factory part.
- **Optimized design:** The side plunger and engagement hole have been replaced with a top hole to create a "slingshot" effect.
- **CNC milled:** Precision machined.
- **Material options:** Available in stainless steel or black.
- **Compatibility:** Only compatible with MKIII 22/45 models. Not compatible with MKII 22/45 or MKIV 22/45.

Made in the USA.

Attributes

- Name: Auto Bolt Release - Stainless Steel - MKIII 22/45
- Manufacturer: VOLQUARTSEN
- Product no.: BRD231497
- Mfr. No.: VC3SPL-S
- Finish: Stainless Steel
- Model: MKIII 22/45
- Delivery weight: 0.5kg
- UPC: 810162014148

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für das Auto Bolt Release Edelstahl MKIII 22/45
- English: Auto Bolt Release Safety Instruction Guide

Sicherheitshinweise für das Auto Bolt Release

Edelstahl MKIII 22/45

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des Auto Bolt Release für die Ruger 22/45 MKIII. Dieses Produkt wurde entwickelt, um die Verwendung Ihrer Waffe sicherer und einfacher zu gestalten. Bitte lesen Sie diese Sicherheitsanweisungen sorgfältig durch, um die sichere Handhabung und Nutzung des Produkts zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die Bedienungsanleitung Ihrer Ruger 22/45 MKIII lesen und verstehen, bevor Sie das Auto Bolt Release installieren oder verwenden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck und gemäß den Anweisungen.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen unbefugten Personen.
- Überprüfen Sie das Produkt regelmäßig auf Abnutzung oder Beschädigung, um eine sichere Verwendung zu gewährleisten.
- Melden Sie unsichere Produkte oder Vorfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie das Auto Bolt Release nur mit Ruger 22/45 MKIII Modellen. Es ist nicht kompatibel mit MKII oder MKIV Modellen.
- Vermeiden Sie es, das Produkt in einer Umgebung mit hoher Feuchtigkeit oder extremen Temperaturen zu verwenden.
- Achten Sie darauf, dass der Bolzengriff während der Nutzung nicht blockiert ist.
- Halten Sie Ihre Hände und andere Körperteile von der Mündung der Waffe fern, während Sie das Auto Bolt Release betätigen.
- Verwenden Sie das Produkt nicht, wenn es beschädigt oder defekt ist.

Anweisungen für Installation und Nutzung

Installation

1. Stellen Sie sicher, dass die Waffe entladen ist und sich in einem sicheren Zustand befindet.
2. Entfernen Sie das bestehende Bolzenhaltehebelteil gemäß der Bedienungsanleitung Ihrer Ruger 22/45 MKIII.
3. Setzen Sie das Auto Bolt Release an der vorgesehenen Stelle ein und stellen Sie sicher, dass es korrekt sitzt.
4. Überprüfen Sie die Installation, indem Sie sicherstellen, dass das Produkt fest sitzt und keine Spielräume hat.

Nutzung

1. Um den Bolzen zu lösen, ziehen Sie einfach am Bolzengriff und lassen Sie ihn los.
2. Überprüfen Sie vor jeder Verwendung, dass das Auto Bolt Release ordnungsgemäß funktioniert.
3. Befolgen Sie die Bedienungsanleitung Ihrer Waffe, um sicherzustellen, dass Sie sie korrekt bedienen.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Metallabfällen.
- Stellen Sie sicher, dass das Produkt nicht in die Hände von Kindern gelangt, während es entsorgt wird.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Unterstützung zu Ihrem Produkt wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben. Dort erhalten Sie weitere Informationen und Unterstützung.

Bitte beachten Sie, dass diese Anleitung nicht alle möglichen Sicherheitsaspekte abdecken kann. Es liegt in Ihrer Verantwortung, sicherzustellen, dass Sie alle Sicherheitsrichtlinien einhalten und verantwortungsbewusst mit Ihrer Waffe umgehen.

Auto Bolt Release Safety Instruction Guide

Introduction

Thank you for choosing the Auto Bolt Release for your Ruger 22/45 MKIII. This product has been designed to enhance the ease of use and safety of your firearm. Please read this safety instruction guide carefully to ensure proper usage and compliance with safety regulations.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the Auto Bolt Release and the firearm in a secure location, out of reach of children.
- Familiarize yourself with the safety features of your Ruger 22/45 MKIII and the Auto Bolt Release.
- Never modify the Auto Bolt Release or use it in a manner not intended by the manufacturer.
- If you notice any unusual sounds or malfunctions, stop using the product immediately and seek professional assistance.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing the Auto Bolt Release.
- Do not attempt to install or use the Auto Bolt Release while the firearm is in a loaded condition.
- Regularly inspect the Auto Bolt Release for wear or damage. Replace it if any issues are found.
- Only use the Auto Bolt Release with MKIII 22/45 models. It is not compatible with MKII or MKIV models.
- Ensure that all components are securely attached before using the firearm.
- If you are unfamiliar with firearm operations, seek training from a qualified instructor.

Instructions for Installation and Usage

Installation

1. **Ensure Safety:** Confirm that the firearm is completely unloaded.
2. **Remove the Existing Bolt Release:** Follow the manufacturer's instructions to safely remove the factory bolt release.
3. **Install the Auto Bolt Release:**
 - Align the Auto Bolt Release with the designated slot.
 - Firmly press or secure the release into place until it is fully seated.
4. **Test the Installation:**
 - Perform a function check to ensure the Auto Bolt Release operates correctly.
 - Pull and release the bolt handle to verify that the bolt releases smoothly.

Usage

- To unload the bolt, simply pull and release the bolt handle.
- Regularly practice the unloading procedure to ensure familiarity with the operation.

Disposal Instructions

- Dispose of the Auto Bolt Release in accordance with local regulations.
- If the product is damaged or no longer needed, do not throw it in regular trash. Instead, contact local waste management for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the Auto Bolt Release, please contact the EUbased customer support service. Ensure you have your product information ready to expedite the process.

By adhering to these safety guidelines and instructions, you can ensure a safer experience with your Ruger 22/45 MKIII and the Auto Bolt Release. Thank you for prioritizing safety in your firearm usage.

