

Nova Scope Rings - Black - Anodized Aluminum - High - 1"/26mm

Nova Scope Rings, Black Anodized Aluminum, 1", High

These rings offer maximum accuracy and stability. They are CNC machined to exact tolerances so no lapping is required. The top half of the ring is secured by four 8-40 Torx screws. A 1/4-20 cross bolt allows for quick disassembly and consistent return to zero. The Nova Rings are ideal for mounting any scope on a high recoil rifle.



- **Material:** Black anodized aluminum
- **Color:** Black
- **Scope tube diameter:** 1" (25.4 mm)
- **Ring height:** High
- **Locking:** Four 8-40 Torx screws (top half), 1/4-20 cross bolt for quick disassembly and consistent return to zero
- **Range of application:** Suitable for high recoil rifles

Attributes

- Name: Nova Scope Rings - Black - Anodized Aluminum - High - 1"/26mm
- Manufacturer: VOLQUARTSEN
- Product no.: BRD231546
- Mfr. No.: VCHD-A-B-1IN-H
- Color: Black
- Height: High
- Material: Anodized Aluminum
- Scope Tube Diameter: 1"/26mm
- Delivery weight: 1kg
- UPC: 810162013738

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitsanleitung für Nova ZielfernrohrRinge](#)
- [English: Nova Scope Rings Safety Instructions](#)

Sicherheitsanleitung für Nova ZielfernrohrRinge

Einführung

Vielen Dank, dass du dich für die Nova ZielfernrohrRinge entschieden hast. Diese Ringe sind aus hochwertigem, schwarz eloxiertem Aluminium gefertigt und bieten höchste Genauigkeit und Stabilität. Um die Sicherheit und die optimale Funktionalität zu gewährleisten, befolge bitte die folgenden Sicherheitsanweisungen und Installationsanleitungen.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass die ZielfernrohrRinge nur für den vorgesehenen Zweck verwendet werden.
- Überprüfe die Ringe regelmäßig auf sichtbare Schäden oder Abnutzung.
- Halte die Ringe von Kindern fern, um Verletzungen zu vermeiden.
- Verwende die Ringe nicht, wenn sie beschädigt sind oder Anzeichen von Verschleiß aufweisen.
- Beachte alle Anweisungen zur Montage und Nutzung, um Unfälle zu vermeiden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Achte darauf, dass die Ringe fest montiert sind, um ein Verrutschen während des Gebrauchs zu verhindern.
- Verwende nur die empfohlenen Werkzeuge (z.B. TorxSchraubendreher), um die Ringe zu montieren oder zu demontieren.
- Vermeide übermäßige Kraftanwendung beim Anziehen der Schrauben, um Beschädigungen an den Ringen oder dem Zielfernrohr zu vermeiden.
- Halte beim Umgang mit dem Gewehr und den Ringen immer die grundlegenden Sicherheitsregeln für Schusswaffen ein.

Anweisungen zur Installation und Nutzung

1. Montage der Ringe:

- Stelle sicher, dass der Montagebereich sauber und frei von Schmutz ist.
- Platziere die Ringe auf der vorgesehenen Montagefläche des Gewehrs.
- Verwende die vier 840 TorxSchrauben, um die obere Hälfte des Rings zu sichern.
- Ziehe die Schrauben gleichmäßig und mit dem empfohlenen Drehmoment an, um eine sichere Befestigung zu gewährleisten.
- Setze das Zielfernrohr in die Ringe ein und sichere es mit dem 1/420 Querbolzen.
- Überprüfe die Ausrichtung des Zielfernrohrs und stelle sicher, dass es korrekt sitzt.

2. Verwendung der Ringe:

- Teste die Stabilität der Ringe und des Zielfernrohrs vor dem Schießen.
- Stelle sicher, dass alle Befestigungen fest sind, bevor du das Gewehr verwendest.
- Bei Bedarf kannst du die Ringe schnell abmontieren und sie bei der Rückkehr zu Null wieder anbringen.

Entsorgungsanweisungen

- Entsorge die Ringe gemäß den örtlichen Vorschriften für Metallabfälle.
- Achte darauf, dass keine schädlichen Materialien in die Umwelt gelangen.
- Informiere dich über Recyclingmöglichkeiten in deiner Nähe.

Kontaktinformationen für weitere Unterstützung

Für Fragen zur Sicherheit oder zur Verwendung der Nova ZielfernrohrRinge wende dich bitte an den Hersteller oder deinen Händler. Es ist wichtig, dass du bei Unsicherheiten direkt Kontakt aufnimmst, um die Sicherheit zu gewährleisten.

Hinweis: Diese Anleitung entspricht den Anforderungen der EUVerordnung über die allgemeine Produktsicherheit (GPSR). Achte darauf, alle Sicherheitsrichtlinien zu befolgen, um eine sichere Nutzung der Nova ZielfernrohrRinge zu gewährleisten.

Nova Scope Rings Safety Instructions

Introduction

Thank you for choosing the Nova Scope Rings. These highquality scope rings are designed for maximum accuracy and stability when mounting scopes on high recoil rifles. This guide provides essential safety instructions to ensure the safe use and installation of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always inspect the scope rings for any visible damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product conditions or accidents to the appropriate authorities.
- Stay informed about any recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Improper installation may lead to scope misalignment or detachment, resulting in injury or damage.
 - Failure to securely tighten the screws may cause the scope to become loose during use.
- **Avoiding Hazards:**
 - Always ensure that the scope rings are properly tightened before use.
 - Regularly check the tightness of the screws and bolts during use.
 - Use appropriate tools when installing or adjusting the scope rings to prevent stripping screws.
- **AudienceSpecific Warnings:**
 - This product is not intended for use by individuals under the age of 18 without adult supervision.
 - Ensure that anyone using the scope rings is knowledgeable about firearm safety and handling.

Instructions for Installation and Usage

1. Installation:

- Start with a clean, flat surface to prevent any damage to the scope rings or rifle.
- Place the scope rings on the rifle's mounting base, ensuring they are aligned correctly.
- Insert the scope into the rings, making sure it is positioned correctly for your shooting needs.
- Secure the top half of the ring by tightening the four 840 Torx screws evenly.
- Use a torque wrench to ensure that screws are tightened to the manufacturer's recommended specifications.
- Insert the 1/420 cross bolt and tighten it to ensure a secure fit.

2. Usage:

- After installation, check the alignment of the scope. Make adjustments as necessary.
- Before firing, ensure that the scope is secure and stable.
- Regularly inspect the scope rings for any signs of wear or damage during use.

Disposal Instructions

- Dispose of packaging materials in accordance with local regulations.
- If the scope rings become damaged beyond repair, dispose of them as per local electronic waste disposal guidelines.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety concerns, installation issues, or product information, please reach out to your local distributor or the manufacturer directly.

Thank you for prioritizing safety while using the Nova Scope Rings. Enjoy your shooting experience!