

Nova Scope Rings - Black - Stainless Steel - Low - 30mm

Nova Scope Rings, Stainless, Black, 30mm, Low

These scope rings offer maximum accuracy and stability. They are CNC machined to exact tolerances so no lapping is required. The top half of the ring is secured by four 8-40 Torx screws. A 1/4-20 cross bolt allows for quick disassembly and a consistent return to zero. The Nova Rings are ideal for mounting any scope on a high recoiling rifle.

- **Material:** Stainless steel
- **Color:** Black
- **Scope tube diameter:** 30mm
- **Ring height:** Low
- **Locking:** Four 8-40 Torx screws (top half), 1/4-20 cross bolt for quick disassembly and consistent return to zero
- **Range of use:** Suitable for high recoil rifles

Attributes

- Name: Nova Scope Rings - Black - Stainless Steel - Low - 30mm
- Manufacturer: VOLQUARTSEN
- Product no.: BRD231552
- Mfr. No.: VCHD-S-B-30MM-L
- Color: Black
- Height: Low
- Material: Stainless Steel
- Scope Tube Diameter: 30mm
- Delivery weight: 1kg
- UPC: 810162012120

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die Nova ZielfernrohrRinge](#)
- [English: Nova Scope Rings Safety Instruction Guide](#)

Sicherheitshinweise für die Nova ZielfernrohrRinge

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf der Nova ZielfernrohrRinge! Diese Ringe sind für die Montage von Zielfernrohren auf stark rückstoßenden Gewehren konzipiert. Um die Sicherheit und optimale Nutzung zu gewährleisten, ist es wichtig, die folgenden Sicherheitshinweise und Anweisungen zu beachten.

Allgemeine Sicherheitsrichtlinien

- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Überprüfen Sie regelmäßig den Zustand der Ringe und der Schrauben. Ersetzen Sie beschädigte Teile sofort.
- Achten Sie darauf, dass die ZielfernrohrRinge korrekt montiert sind, um Unfälle zu vermeiden.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern.
- Bewahren Sie die Originalverpackung und alle Informationen für zukünftige Referenzen auf.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Stellen Sie sicher, dass das Zielfernrohr, das Sie montieren möchten, mit den 30mm Ringen kompatibel ist.
- Überprüfen Sie vor der Verwendung, dass alle Schrauben fest angezogen sind.
- Verwenden Sie nur die empfohlenen Werkzeuge, um die Schrauben zu montieren oder zu demontieren.
- Achten Sie darauf, dass beim Anbringen des Zielfernrohrs keine Teile beschädigt werden.
- Verwenden Sie die Ringe nicht, wenn sie Anzeichen von Beschädigung oder Abnutzung aufweisen.

Anweisungen für Installation und Nutzung

1. Vorbereitung

- Stellen Sie sicher, dass das Gewehr sicher und stabil auf einer ebenen Fläche liegt.
- Überprüfen Sie, ob alle benötigten Werkzeuge vorhanden sind (TorxSchraubendreher, 1/420 Bolzen).

2. Montage der ZielfernrohrRinge

- Entfernen Sie die obere Hälfte der ZielfernrohrRinge, indem Sie die vier 840 TorxSchrauben lösen.
- Setzen Sie die untere Hälfte der Ringe auf die Montagebasis des Gewehrs.
- Bringen Sie das Zielfernrohr auf die untere Hälfte der Ringe auf und stellen Sie sicher, dass es richtig positioniert ist.
- Befestigen Sie die obere Hälfte der Ringe, indem Sie die 840 TorxSchrauben gleichmäßig anziehen.
- Verwenden Sie den 1/420 Querbolzen, um eine schnelle Demontage zu ermöglichen und eine konsistente Rückkehr zu Null zu gewährleisten.

3. Überprüfung der Montage

- Überprüfen Sie nach der Montage, ob das Zielfernrohr sicher sitzt und keine Bewegung aufweist.
- Führen Sie einen Funktionstest durch, um sicherzustellen, dass alles ordnungsgemäß funktioniert.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Abfallentsorgung.
- Achten Sie darauf, dass alle Teile, die nicht mehr verwendet werden, sicher und umweltfreundlich entsorgt werden.

Kontaktinformationen für weitere Unterstützung

- Bei Fragen oder Bedenken zu Ihrem Produkt wenden Sie sich bitte an den Hersteller oder Ihren Händler. Halten Sie die Kaufbelege bereit, um Unterstützung zu erhalten.

Schlussfolgerung

Die Sicherheit Ihrer Ausrüstung ist von größter Bedeutung. Befolgen Sie diese Anweisungen sorgfältig, um sicherzustellen, dass Sie die Nova ZielfernrohrRinge sicher und effektiv nutzen. Achten Sie stets auf Ihre Sicherheit und die der anderen.

Nova Scope Rings Safety Instruction Guide

Introduction

Thank you for choosing the Nova Scope Rings. These highquality stainless steel scope rings are designed for maximum accuracy and stability when mounting scopes on high recoiling rifles. This guide provides essential safety instructions to ensure safe use, installation, and disposal of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

To ensure your safety and the proper functioning of the Nova Scope Rings, please follow these general safety guidelines:

- Always inspect the scope rings for any signs of damage or wear before use.
- Ensure that the scope rings are compatible with your specific scope and rifle model.
- Do not exceed the manufacturer's recommended specifications for scope weight and rifle recoil.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product incidents or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

Before using the Nova Scope Rings, please observe the following safety precautions:

- Ensure that the scope is securely mounted in the rings before using the rifle.
- Always tighten the four 840 Torx screws and the 1/420 cross bolt properly to avoid any accidental disassembly during use.
- Use appropriate tools when installing and adjusting the scope rings to prevent injury.
- Avoid using the scope rings in extreme weather conditions that may affect their performance.
- Do not attempt to modify or alter the scope rings in any way, as this may compromise safety and functionality.
- If you experience any issues with the scope rings, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

Follow these instructions carefully to ensure proper installation and usage of the Nova Scope Rings:

1. Preparation:

- Gather all necessary tools: a set of Torx screwdrivers, a torque wrench, and a clean workspace.
- Ensure that the rifle is unloaded and pointed in a safe direction.

2. Installation:

- Place the scope rings on the rifle's scope base.
- Align the scope tube with the rings and insert it into the rings.
- Secure the top half of the rings by tightening the four 840 Torx screws evenly. Use a torque wrench to apply the recommended torque settings.
- Tighten the 1/420 cross bolt to secure the rings in place. Check for any movement or looseness.

3. Usage:

- Once installed, check the alignment of the scope. Adjust as necessary to ensure proper sighting.
- After confirming that the scope is secure and properly aligned, you may proceed to use the rifle.

4. PostUsage:

- After use, inspect the scope rings for any signs of wear or damage.
- Store the rifle and scope rings in a safe, dry place when not in use.

Disposal Instructions

When the Nova Scope Rings reach the end of their life cycle or are no longer usable, please follow these disposal instructions:

- Dispose of the product in accordance with local regulations for metal recycling.
- Do not dispose of the scope rings in regular household waste.
- If unsure about disposal methods, contact local waste management authorities for guidance.

Contact Information for Further Support

For any questions or concerns regarding the Nova Scope Rings, please refer to the contact information provided by the manufacturer. It is essential to seek assistance if you encounter any issues during installation, usage, or disposal.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy using your Nova Scope Rings responsibly!