

Nova Scope Rings - Silver - Stainless Steel - Low - 1"/26mm

Nova Scope Rings, Stainless, Silver, 1", Low

These scope rings offer maximum accuracy and stability. They are CNC machined to exact tolerances so no lapping is required. The top half of the ring is secured by four 8-40 Torx screws. A 1/4-20 cross bolt allows for quick disassembly and a consistent return to zero. The Nova Rings are ideal for mounting any scope on a high recoiling rifle.

- **Material:** Stainless steel
- **Color:** Silver
- **Scope tube diameter:** 1"
- **Ring height:** Low
- **Locking:** Four 8-40 Torx screws (top half), 1/4-20 cross bolt for quick disassembly and consistent return to zero
- **Range of use:** Suitable for high recoil rifles

Attributes

- Name: Nova Scope Rings - Silver - Stainless Steel - Low - 1"/26mm
- Manufacturer: VOLQUARTSEN
- Product no.: BRD231554
- Mfr. No.: VCHD-S-S-1IN-L
- Color: Silver
- Height: Low
- Material: Stainless Steel
- Scope Tube Diameter: 1"/26mm
- Delivery weight: 1kg
- UPC: 810162012090

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die Nova ZielfernrohrRinge](#)
- [English: Nova Scope Rings Safety Instruction Guide](#)

Sicherheitshinweise für die Nova ZielfernrohrRinge

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf der Nova ZielfernrohrRinge! Diese Ringe sind aus hochwertigem Edelstahl gefertigt und bieten eine sichere und stabile Montage für Ihr Zielfernrohr. Um eine sichere Nutzung zu gewährleisten, beachten Sie bitte die folgenden Sicherheitshinweise und Anweisungen.

Allgemeine Sicherheitsrichtlinien

- Verwenden Sie die ZielfernrohrRinge nur für den vorgesehenen Zweck, um Verletzungen oder Schäden zu vermeiden.
- Überprüfen Sie vor der Verwendung, ob die Ringe unbeschädigt sind und alle Teile vorhanden sind.
- Halten Sie die Ringe und das Zielfernrohr außerhalb der Reichweite von Kindern und Haustieren.
- Informieren Sie sich über die Sicherheitsvorschriften für Ihre Waffe und das Zielfernrohr, bevor Sie diese Produkte verwenden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Achten Sie darauf, dass die ZielfernrohrRinge fest und sicher montiert sind, um ein Verrutschen oder Lösen während des Gebrauchs zu verhindern.
- Verwenden Sie nur die im Lieferumfang enthaltenen Schrauben und Bolzen zur Montage.
- Bei der Montage auf einem stark rückstoßenden Gewehr sollten Sie zusätzliche Vorsichtsmaßnahmen treffen, um sicherzustellen, dass die Ringe den Rückstoß standhalten.
- Überprüfen Sie regelmäßig den Sitz der Ringe, insbesondere nach intensivem Gebrauch oder nach dem Transport der Waffe.

Anweisungen zur Installation und Nutzung

1. Vorbereitung:

- Stellen Sie sicher, dass Sie alle benötigten Werkzeuge bereit haben: ein TorxSchraubendreher für die 840 TorxSchrauben und einen Schraubenschlüssel für den 1/420 Querbolzen.

2. Montage der Ringe:

- Platzieren Sie die untere Hälfte der Ringe auf der vorgesehenen Montagefläche Ihrer Waffe.
- Setzen Sie das Zielfernrohr in die Ringe ein und richten Sie es aus.
- Befestigen Sie die obere Hälfte der Ringe mit den vier 840 TorxSchrauben. Ziehen Sie die Schrauben gleichmäßig an, um eine gleichmäßige Druckverteilung zu gewährleisten.
- Sichern Sie die Montage mit dem 1/420 Querbolzen, um eine schnelle Demontage und eine konsistente Rückkehr zu Null zu ermöglichen.

3. Überprüfung:

- Überprüfen Sie die Montage nach der Installation auf Stabilität und Sicherheit.
- Führen Sie einen Testschuss durch, um sicherzustellen, dass das Zielfernrohr korrekt ausgerichtet ist und die Ringe ihre Funktion erfüllen.

Entsorgungsanweisungen

- Entsorgen Sie die ZielfernrohrRinge gemäß den örtlichen Vorschriften für Metallabfälle.
- Stellen Sie sicher, dass alle Teile ordnungsgemäß recycelt oder entsorgt werden, um die Umwelt zu schützen.

Kontaktinformationen für weitere Unterstützung

- Bei Fragen oder Sicherheitsanliegen zu Ihrem Produkt wenden Sie sich bitte an den Anbieter oder Hersteller. Achten Sie darauf, dass alle Produkte eine EUbasierte Kontaktstelle für Sicherheitsanfragen haben.

Bitte beachten Sie, dass die Sicherheit an erster Stelle steht. Halten Sie sich an diese Richtlinien, um eine sichere Nutzung der Nova ZielfernrohrRinge zu gewährleisten.

Nova Scope Rings Safety Instruction Guide

Introduction

Thank you for choosing the Nova Scope Rings. These highquality stainless steel scope rings are designed for secure and stable mounting of your scope on high recoiling rifles. This guide provides essential safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** The Nova Scope Rings are manufactured to meet safety standards. Ensure proper installation and usage to avoid accidents.
- **Enhanced Recalls:** Stay informed about potential recalls. Regularly check the EU's Safety Gate platform for updates on product safety.
- **Online Shopping:** If purchased online, ensure the platform complies with safety requirements equivalent to physical stores.
- **Special Consumer Focus:** These scope rings are not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Be aware of safety alerts related to this product through the Safety Gate system.

Specific Safety Precautions for Use

- **Inspection:** Before use, inspect the scope rings for any signs of damage or wear. Do not use if damaged.
- **Proper Fit:** Ensure that the scope tube diameter matches the specifications (1"/26mm) to avoid improper fitting.
- **Installation:** Follow installation instructions carefully to prevent accidents during use.
- **Secure Mounting:** Always ensure that the scope rings are securely mounted to prevent the scope from shifting or falling during use.
- **Avoid Overtightening:** Do not overtighten screws, as this may damage the scope or the rings.
- **Use of Tools:** Use appropriate tools (Torx screwdriver for 840 screws) when installing or adjusting the scope rings.

Instructions for Installation and Usage

1. **Gather Tools:** You will need a Torx screwdriver (size T15) for the screws and a 1/420 wrench for the cross bolt.
2. **Prepare the Rifle:** Ensure that the rifle is unloaded and pointed in a safe direction before beginning the installation.
3. **Attach the Bottom Half:**
 - Place the bottom half of the scope rings onto the rifle's scope base.
 - Align the holes with the mounting holes on the rifle.
4. **Secure the Bottom Half:**
 - Insert the 1/420 cross bolt and tighten it securely.
 - Ensure it is snug but do not overtighten.
5. **Place the Scope:**
 - Position the scope in the bottom half of the rings.
 - Ensure that the scope is level and properly aligned with the rifle.
6. **Attach the Top Half:**
 - Place the top half of the scope rings over the scope.
 - Align the holes with the bottom half.
7. **Secure the Top Half:**
 - Insert the four 840 Torx screws into the top half.
 - Tighten each screw gradually and evenly to ensure a secure fit without overtightening.
8. **Final Check:**
 - Verify that the scope is securely mounted and that there is no movement.
 - Check the alignment and make any necessary adjustments.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the Nova Scope Rings in accordance with local regulations. Do not dispose of in general waste.
- **Recycling:** If possible, recycle the product as it is made of stainless steel, which is recyclable.
- **Hazardous Waste:** If any components are deemed hazardous, follow local guidelines for hazardous waste disposal.

Contact Information for Further Support

For any questions or concerns regarding the Nova Scope Rings, please refer to the designated EU contact point associated with this product.

By following these safety instructions, you can ensure a safe and effective experience with your Nova Scope Rings. Always prioritize safety and proper usage to enjoy your equipment fully.