

Nova Scope Rings - Silver - Stainless Steel - Low - 1"/26mm

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Nova Scope Rings, Stainless, Silver, 1", Low

These scope rings offer maximum accuracy and stability. They are CNC machined to exact tolerances so no lapping is required. The top half of the ring is secured by four 8-40 Torx screws. A 1/4-20 cross bolt allows for quick disassembly and a consistent return to zero. The Nova Rings are ideal for mounting any scope on a high recoiling rifle.



- **Material:** Stainless steel
- **Color:** Silver
- **Scope tube diameter:** 1"
- **Ring height:** Low
- **Locking:** Four 8-40 Torx screws (top half), 1/4-20 cross bolt for quick disassembly and consistent return to zero
- **Range of use:** Suitable for high recoil rifles

Attributes

- Name: [Nova Scope Rings - Silver - Stainless Steel - Low - 1"/26mm](#)
- Manufacturer: [VOLQUARTSEN](#)
- Product no.: BRD231554
- Mfr. No.: VCHD-S-S-1IN-L
- Color: Silver
- Height: Low
- Material: Stainless Steel
- Scope Tube Diameter: 1"/26mm
- Delivery weight: 1kg
- UPC: 810162012090

Table of Contents

- [Startpage](#)
- [Nova Scope Rings Safety Instruction Guide](#)
- [About Us](#)

Nova Scope Rings Safety Instruction Guide

Introduction

Thank you for choosing the Nova Scope Rings. These highquality stainless steel scope rings are designed for secure and stable mounting of your scope on high recoiling rifles. This guide provides essential safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** The Nova Scope Rings are manufactured to meet safety standards. Ensure proper installation and usage to avoid accidents.
- **Enhanced Recalls:** Stay informed about potential recalls. Regularly check the EU's Safety Gate platform for updates on product safety.
- **Online Shopping:** If purchased online, ensure the platform complies with safety requirements equivalent to physical stores.
- **Special Consumer Focus:** These scope rings are not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Be aware of safety alerts related to this product through the Safety Gate system.

Specific Safety Precautions for Use

- **Inspection:** Before use, inspect the scope rings for any signs of damage or wear. Do not use if damaged.
- **Proper Fit:** Ensure that the scope tube diameter matches the specifications (1"/26mm) to avoid improper fitting.
- **Installation:** Follow installation instructions carefully to prevent accidents during use.
- **Secure Mounting:** Always ensure that the scope rings are securely mounted to prevent the scope from shifting or falling during use.
- **Avoid Overtightening:** Do not overtighten screws, as this may damage the scope or the rings.
- **Use of Tools:** Use appropriate tools (Torx screwdriver for 840 screws) when installing or adjusting the scope rings.

Instructions for Installation and Usage

1. **Gather Tools:** You will need a Torx screwdriver (size T15) for the screws and a 1/420 wrench for the cross bolt.
2. **Prepare the Rifle:** Ensure that the rifle is unloaded and pointed in a safe direction before beginning the installation.
3. **Attach the Bottom Half:**
 - Place the bottom half of the scope rings onto the rifle's scope base.
 - Align the holes with the mounting holes on the rifle.
4. **Secure the Bottom Half:**
 - Insert the 1/420 cross bolt and tighten it securely.
 - Ensure it is snug but do not overtighten.
5. **Place the Scope:**
 - Position the scope in the bottom half of the rings.

- Ensure that the scope is level and properly aligned with the rifle.

6. **Attach the Top Half:**

- Place the top half of the scope rings over the scope.
- Align the holes with the bottom half.

7. **Secure the Top Half:**

- Insert the four 840 Torx screws into the top half.
- Tighten each screw gradually and evenly to ensure a secure fit without overtightening.

8. **Final Check:**

- Verify that the scope is securely mounted and that there is no movement.
- Check the alignment and make any necessary adjustments.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the Nova Scope Rings in accordance with local regulations. Do not dispose of in general waste.
- **Recycling:** If possible, recycle the product as it is made of stainless steel, which is recyclable.
- **Hazardous Waste:** If any components are deemed hazardous, follow local guidelines for hazardous waste disposal.

Contact Information for Further Support

For any questions or concerns regarding the Nova Scope Rings, please refer to the designated EU contact point associated with this product.

By following these safety instructions, you can ensure a safe and effective experience with your Nova Scope Rings. Always prioritize safety and proper usage to enjoy your equipment fully.

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de