

Lever Quick Takedown Screw - Special Edition Lever Takedown Screw for Marlin

Oversized, Henry lever-action quick take down screws allow for easy lever removal for a thorough cleaning, plus makes it easy to swap out standard levers for larger loop levers for gloved hands or cowboy action shooting. Replaces the original, factory lever screw without alteration.

Made of 4140 chromoly steel with a black nitride coating.

Fits Henry H009 30-30, H010 45-70, H012 Henry Big Boy Steels, H014 Long Ranger Series (.243, .308, etc), H018 .410, H024 Side Loading (.30-30 Win, .38-55 Win, .35 Rem)

Does NOT fit Henry Long Rangers, SingleShots or 22 rifles.

Attributes

- Name: Special Edition Lever Takedown Screw for Marlin
- Manufacturer: Ranger Point Precision
- Product no.: BRD261095
- Mfr. No.: 150
- Finish: POLISHED BRONZE ALUMINUM
- Model: Marlin
- Delivery weight: 0.5kg
- Shipping height: 150mm
- Shipping width: 200mm
- Shipping length: 25mm

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für die Schnellwechselschraube für Hebel Ranger Point Precision Marlin Special Edition Lever Takedown Screw
- English: Safety Instruction Guide for Lever Quick Takedown Screw Special Edition

Sicherheitshinweise für die Schnellwechselschraube für Hebel Ranger Point Precision Marlin Special Edition Lever Takedown Screw

Einführung

Vielen Dank, dass Sie sich für die Schnellwechselschraube für Hebel Ranger Point Precision entschieden haben. Dieses Produkt wurde entwickelt, um Ihnen bei der Nutzung von Marlin, Henry und RossiGewehren eine verbesserte Funktionalität und Stil zu bieten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um eine sichere Nutzung zu gewährleisten.

Allgemeine Sicherheitshinweise

- Achten Sie darauf, dass das Produkt nur für den vorgesehenen Zweck verwendet wird.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern.
- Überprüfen Sie vor der Verwendung, ob das Produkt in einwandfreiem Zustand ist und keine sichtbaren Schäden aufweist.
- Informieren Sie sich über die spezifischen Anforderungen Ihres Gewehrs, um sicherzustellen, dass die Schraube korrekt eingesetzt wird.
- Bei Unsicherheiten oder Fragen wenden Sie sich bitte an einen Fachmann.

Spezifische Sicherheitshinweise zur Verwendung

- Verwenden Sie nur die empfohlenen Werkzeuge für die Installation der Schnellwechselschraube.
- Achten Sie darauf, dass das Gewinde der Schraube und die entsprechenden Gewindebohrungen in Ihrem Gewehr sauber und frei von Schmutz sind.
- Ziehen Sie die Schraube nicht übermäßig fest, um Beschädigungen am Gewehr oder an der Schraube zu vermeiden.
- Verwenden Sie keine chemischen Reinigungsmittel oder Lösungsmittel, die die Oberfläche der Schraube beschädigen könnten.

Anweisungen zur Installation und Verwendung

1. **Vorbereitung:** Stellen Sie sicher, dass Sie alle erforderlichen Werkzeuge bereit haben, einschließlich eines passenden Schraubenschlüssels.
2. **Entfernen der alten Schraube:**
 - Lösen Sie die vorhandene Schraube vorsichtig mit dem Schraubenschlüssel.
 - Bewahren Sie die alte Schraube sicher auf, falls Sie diese später wieder verwenden möchten.
3. **Einsetzen der Schnellwechselschraube:**
 - Überprüfen Sie das Gewinde der Schnellwechselschraube auf Beschädigungen.
 - Setzen Sie die Schraube vorsichtig in die Gewindebohrung ein.
 - Ziehen Sie die Schraube sanft mit dem Schraubenschlüssel fest, bis sie sicher sitzt, jedoch nicht übermäßig fest.
4. **Überprüfung:**
 - Überprüfen Sie nach der Installation, ob die Schraube fest sitzt und keine Bewegungen oder Spiel vorhanden sind.
 - Testen Sie die Funktion des Hebels, um sicherzustellen, dass alles ordnungsgemäß funktioniert.
5. **Regelmäßige Wartung:**
 - Überprüfen Sie regelmäßig den Sitz der Schraube und ziehen Sie sie bei Bedarf nach.
 - Halten Sie die Schraube und die Umgebung sauber, um die Lebensdauer des Produkts zu verlängern.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Metallabfälle.
- Achten Sie darauf, dass keine Teile in die Umwelt gelangen.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder bei Fragen zur Sicherheit und Nutzung des Produkts wenden Sie sich bitte an den Hersteller oder Ihren Fachhändler.

Bitte beachten Sie, dass die Einhaltung dieser Sicherheitsrichtlinien dazu beiträgt, Unfälle zu vermeiden und die Lebensdauer Ihres Produkts zu verlängern. Ihre Sicherheit hat oberste Priorität.

Safety Instruction Guide for Lever Quick Takedown Screw Special Edition

Introduction

Thank you for choosing the Lever Quick Takedown Screw Special Edition for your Marlin firearm. This product is designed to enhance your shooting experience by allowing for easy lever removal and installation. Please read this safety instruction guide carefully to ensure safe and effective use.

General Safety Guidelines

- Always treat firearms as if they are loaded.
- Ensure that you are in a safe environment when handling your firearm.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm use and modifications.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attempting to install or remove the takedown screw.
- Wear appropriate safety gear, including eye protection, when handling firearms.
- Do not attempt to modify the takedown screw or any component of your firearm.
- If you experience difficulty during installation or removal, seek assistance from a qualified gunsmith.
- Be aware that improper installation may result in malfunction or injury.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is completely unloaded.
- Gather necessary tools, including a screwdriver suitable for the screw head.

2. Installation

- Locate the original factory lever screw on your firearm.
- Using the screwdriver, carefully remove the original screw.
- Align the Lever Quick Takedown Screw with the screw hole.
- Handtighten the screw into place, ensuring it is secure but not overtightened.

3. Usage

- To remove the lever for cleaning, simply unscrew the Lever Quick Takedown Screw by turning it counterclockwise.
- After cleaning, reattach the lever by following the installation instructions above.

4. PostInstallation Check

- After installation, check that the lever is securely attached and functions properly.
- Perform a function check of your firearm to ensure everything is operating as intended.

Disposal Instructions

- When disposing of the product, follow local regulations for metal recycling.
- Do not dispose of the product in regular household waste.
- Ensure that the product is rendered unusable before disposal to prevent unauthorized use.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please contact the manufacturer or your local dealer.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our top priority. Enjoy your shooting experience with the Lever Quick Takedown Screw Special Edition!