

## **Lever Quick Takedown Screw - Marlin T-Rex Lever Quick Takedown Screw**

Oversized, Henry lever-action quick take down screws allow for easy lever removal for a thorough cleaning, plus makes it easy to swap out standard levers for larger loop levers for gloved hands or cowboy action shooting. Replaces the original, factory lever screw without alteration.

Made of 4140 chromoly steel with a black nitride coating.

Fits Henry H009 30-30, H010 45-70, H012 Henry Big Boy Steels, H014 Long Ranger Series (.243, .308, etc), H018 .410, H024 Side Loading (.30-30 Win, .38-55 Win, .35 Rem)

**Does NOT fit Henry Long Rangers, SingleShots or 22 rifles.**

### **Attributes**

- Name: Marlin T-Rex Lever Quick Takedown Screw
- Manufacturer: Ranger Point Precision
- Product no.: BRD261100
- Mfr. No.: 154
- Finish: Black Nitride
- Model: Marlin
- Delivery weight: 0.5lb
- Shipping height: 150mm
- Shipping width: 200mm
- Shipping length: 25mm

# Table of Contents

- Startpage
- Deutsch: Schnellwechselschraube für Hebel Ranger Point Precision Marlin TRex Lever Quick Takedown Screw: Sicherheitshinweise
- English: Safety Instruction Guide for Lever Quick Takedown Screw

# Schnellwechselschraube für Hebel Ranger Point Precision Marlin TRex Lever Quick Takedown Screw: Sicherheitshinweise

## Einführung

Herzlichen Glückwunsch zu Ihrem Kauf der Schnellwechselschraube für Hebel von Ranger Point Precision. Diese Anleitung bietet wichtige Informationen zur sicheren Verwendung des Produkts, um Ihre Sicherheit und die anderer zu gewährleisten. Bitte lesen Sie die folgenden Hinweise sorgfältig durch.

## Allgemeine Sicherheitsrichtlinien

- Achten Sie darauf, dass das Produkt nur für die angegebenen HebelActionGewehre verwendet wird.
- Verwenden Sie das Produkt nicht, wenn es sichtbare Schäden aufweist.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern.
- Informieren Sie sich über die geltenden Gesetze und Vorschriften in Ihrem Land oder Ihrer Region bezüglich der Verwendung von Feuerwaffen und Zubehör.
- Überprüfen Sie regelmäßig auf Rückrufinformationen über die EU Safety Gate Plattform.

## Spezifische Sicherheitsvorkehrungen bei der Verwendung

- Verwenden Sie die Schnellwechselschraube nur mit kompatiblen Modellen (Henry LeverActionGewehre, ausgenommen Henry Long Shot, Long Ranger, Rimfire (.22 oder .17), Homesteader 9mm).
- Achten Sie darauf, dass der ORing korrekt installiert ist, um eine sichere Befestigung zu gewährleisten.
- Stellen Sie sicher, dass die Schraube fest sitzt, bevor Sie das Gewehr verwenden.
- Vermeiden Sie es, die Schraube mit übermäßiger Kraft zu ziehen, um Beschädigungen zu vermeiden.

## Anweisungen zur Installation und Verwendung

### 1. Vorbereitung:

- Stellen Sie sicher, dass das Gewehr entladen ist und sich in einem sicheren Zustand befindet.
- Überprüfen Sie die Schnellwechselschraube auf Beschädigungen, bevor Sie mit der Installation beginnen.

### 2. Installation der Schraube:

- Entfernen Sie die originale Hebeleinschraube gemäß den Anweisungen des Herstellers des Gewehrs.
- Setzen Sie die Schnellwechselschraube in die entsprechende Öffnung ein.
- Drehen Sie die Schraube im Uhrzeigersinn, bis sie fest sitzt. Achten Sie darauf, dass der ORing in Position bleibt.

### 3. Verwendung des Gewehrs:

- Überprüfen Sie vor jedem Gebrauch, ob die Schraube sicher befestigt ist.
- Führen Sie regelmäßige Wartungsprüfungen durch, um sicherzustellen, dass alle Teile ordnungsgemäß funktionieren.

## Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Metallabfälle.
- Stellen Sie sicher, dass alle Teile sicher verpackt sind, um Verletzungen während der Entsorgung zu vermeiden.

## Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen zur Sicherheit Ihres Produkts wenden Sie sich bitte an den Hersteller oder einen autorisierten Händler.

Bitte beachten Sie, dass es wichtig ist, alle Sicherheitsrichtlinien zu befolgen, um eine sichere Nutzung des Produkts zu gewährleisten. Ihre Sicherheit hat oberste Priorität.

# Safety Instruction Guide for Lever Quick Takedown Screw

## Introduction

Thank you for choosing the Lever Quick Takedown Screw for your Marlin TRex. This product is designed to enhance the functionality of your leveraction rifle, allowing for easier maintenance and customization. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or removing the Lever Quick Takedown Screw.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product regularly for any signs of wear or damage.
- Do not use the product if it appears to be damaged or defective.
- Follow all manufacturer guidelines and local laws regarding firearm modifications and maintenance.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that you are wearing appropriate safety gear, such as eye protection, when working with firearms.
- Use the product only as intended and do not modify it in any way.
- Be aware of your surroundings while handling firearms to prevent accidental discharge.
- If you are unfamiliar with firearm maintenance, seek assistance from a qualified professional.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools (if required) for installation.

### 2. Installation:

- Locate the original lever screw on your Marlin TRex.
- Using an appropriate tool, carefully remove the original lever screw.
- Take the Lever Quick Takedown Screw and align it with the lever assembly.
- Insert the new screw and tighten it securely, ensuring it is not overtightened to avoid damage.

### 3. Usage:

- To remove the lever for cleaning, simply unscrew the Lever Quick Takedown Screw.
- After cleaning, reattach the lever by following the installation steps in reverse.

### 4. PostInstallation Check:

- After installation, check that the lever operates smoothly and securely.
- Perform a function check on your firearm to ensure it is operating correctly.

## Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.
- If the product becomes damaged beyond use, dispose of it responsibly by following local regulations for metal and plastic waste.

## Contact Information for Further Support

For any questions or concerns regarding the Lever Quick Takedown Screw, please refer to the manufacturer's contact information provided with your product packaging. Always ensure you have the latest updates and safety information regarding your product.

Thank you for prioritizing safety and compliance. Enjoy using your Lever Quick Takedown Screw responsibly!