

## **Lever Quick Takedown Screw - Marlin T-Rex Lever Screw Silver**

Oversized, Henry lever-action quick take down screws allow for easy lever removal for a thorough cleaning, plus makes it easy to swap out standard levers for larger loop levers for gloved hands or cowboy action shooting. Replaces the original, factory lever screw without alteration.

Made of 4140 chromoly steel with a black nitride coating.

Fits Henry H009 30-30, H010 45-70, H012 Henry Big Boy Steels, H014 Long Ranger Series (.243, .308, etc), H018 .410, H024 Side Loading (.30-30 Win, .38-55 Win, .35 Rem)

**Does NOT fit Henry Long Rangers, SingleShots or 22 rifles.**

### **Attributes**

- Name: Marlin T-Rex Lever Screw Silver
- Manufacturer: Ranger Point Precision
- Product no.: BRD261102
- Mfr. No.: 155
- Finish: Silver
- Model: Marlin
- Delivery weight: 0.5lb
- Shipping height: 150mm
- Shipping width: 200mm
- Shipping length: 25mm

# Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für die Schnellwechselschraube für Hebel Ranger Point Precision Marlin TReX Lever Screw Silver
- English: Safety Instruction Guide for Lever Quick Takedown Screw

# Sicherheitshinweise für die Schnellwechselschraube für Hebel Ranger Point Precision Marlin TRex Lever Screw Silver

## Einführung

Vielen Dank, dass Sie sich für die Schnellwechselschraube für Hebel Ranger Point Precision entschieden haben. Diese Anleitung enthält wichtige Sicherheitshinweise und Informationen zur sicheren Verwendung, Installation und Entsorgung des Produkts. Bitte lesen Sie diese Hinweise sorgfältig durch, um ein sicheres und effektives Nutzungserlebnis zu gewährleisten.

## Allgemeine Sicherheitsrichtlinien

- Achten Sie darauf, dass das Produkt nur für den vorgesehenen Zweck verwendet wird.
- Bewahren Sie das Produkt außerhalb der Reichweite von Kindern auf.
- Überprüfen Sie das Produkt regelmäßig auf Abnutzung oder Beschädigungen.
- Melden Sie unsichere Produkte oder Unfälle den zuständigen Behörden.
- Überprüfen Sie regelmäßig auf Rückrufinformationen auf der Safety GatePlattform der EU.

## Spezifische Sicherheitsvorkehrungen bei der Verwendung

- Verwenden Sie die Schnellwechselschraube nur mit kompatiblen Henry LeverActionGewehren.
- Stellen Sie sicher, dass das Gewehr vor der Installation der Schraube entladen ist.
- Tragen Sie bei der Installation geeignete Schutzausrüstung, wie Handschuhe und Schutzbrille.
- Achten Sie darauf, dass die Schraube fest sitzt, um ein Lösen während der Nutzung zu verhindern.
- Bei Anzeichen von Beschädigung oder Abnutzung der Schraube, verwenden Sie diese nicht weiter und ersetzen Sie sie umgehend.

## Anweisungen für Installation und Nutzung

### 1. Vorbereitung:

- Vergewissern Sie sich, dass das Gewehr entladen ist.
- Legen Sie alle benötigten Werkzeuge bereit (keine speziellen Werkzeuge erforderlich).

### 2. Installation:

- Entfernen Sie die bestehende Standardschraube des Hebels.
- Setzen Sie die Schnellwechselschraube mit ORing an der vorgesehenen Stelle ein.
- Ziehen Sie die Schraube fest, bis sie sicher sitzt, aber überdrehen Sie sie nicht.

### 3. Nutzung:

- Nutzen Sie das Gewehr wie gewohnt, wobei Sie die Vorteile der Schnellwechselschraube für einen einfachen HebelAusbau und gründliche Reinigung genießen können.
- Achten Sie darauf, die Schraube regelmäßig auf festen Sitz zu überprüfen.

## Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Metallabfälle.
- Stellen Sie sicher, dass alle Teile des Produkts vollständig entsorgt werden, um Umweltschäden zu vermeiden.

## Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen zu diesem Produkt wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben. Es steht Ihnen auch die Möglichkeit offen, die EU Safety GatePlattform zu besuchen, um Informationen zu Rückrufen und Sicherheitsupdates zu erhalten.

Vielen Dank für Ihre Aufmerksamkeit und bleiben Sie sicher!

# Safety Instruction Guide for Lever Quick Takedown Screw

## Introduction

Thank you for choosing the Lever Quick Takedown Screw for your Marlin TRex lever action firearm. This product is designed for easy lever removal and replacement, enhancing your cleaning process and usability. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for wear or damage before use.
- If you notice any defects or issues, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before attempting to install or remove the lever screw.
- Wear appropriate safety gear, such as safety glasses and gloves, during installation.
- Avoid using excessive force when tightening or loosening the screw to prevent damage.
- Do not modify the screw or the firearm in any way that could compromise safety.
- If you are unsure about the installation process, consult a professional gunsmith.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather necessary tools, including a screwdriver suitable for the screw head.

### 2. Installation Steps

- Remove the original lever screw using the screwdriver.
- Align the new Lever Quick Takedown Screw with the lever assembly.
- Carefully insert the screw into the designated hole.
- Tighten the screw by turning it clockwise. Avoid overtightening to prevent damage.

### 3. Usage

- To remove the lever, simply unscrew the Lever Quick Takedown Screw by turning it counterclockwise.
- For cleaning, remove the lever and clean the firearm according to the manufacturer's recommendations.
- To replace the lever, follow the installation steps in reverse.

## Disposal Instructions

- Dispose of the product responsibly.
- Follow local regulations for the disposal of metal components.
- If the product is damaged or no longer usable, do not attempt to repair it; dispose of it in accordance with applicable waste disposal regulations.

## Contact Information for Further Support

For any questions or concerns regarding the Lever Quick Takedown Screw, please consult your retailer or manufacturer for assistance.

Thank you for your attention to these safety guidelines. Enjoy your enhanced shooting experience with the Lever Quick Takedown Screw.