

Long Ranger M-LOK Handguard - Black - Henry

Henry Long Ranger Handguard

Compatibility: Fits all Henry Long Ranger and Long Ranger Express rifles.

Scope of delivery:

1 x 13.25' M-LOK Handguard
1 x Barrel/Mag Tube Tenon & 2 screws
4 x set screws



M-LOK Handguard Features:

- Machined from one piece of solid aluminium for increased rigidity and reduced weight.
- Overall length: 13.25' x width: 1.5' x height: 1.6' x weight: 7.5 oz with exposed magazine tube
- loading port.
- Rugged Tenon mount and screws provide increased durability and load capacity with easy installation.
- Four set screws provide solid bedding and prevent lateral movement.
- Even easier DIY installation.
- Additional M-LOK slots on the sides - 24 slots in total.
- Four flush cup holes for push-button sling swivels.
- Smoother, cleaner lines on each side with special parts for different rifle models.
- Flat bottom provides increased stability when shooting from a rest, while the slim width, deep finger grooves and rounded bottom corners provide comfortable and secure ergonomics.
- Raised grip on the bottom, with blade cut-outs in the corners.
- Improved compatibility with shortened barrels and silencers.
- All M-LOK parts are bevelled, deburred and tumbled to provide a smooth and comfortable surface without a 'cheese-grater' effect.
- Always made in the USA.

Attributes

- Name: Long Ranger M-LOK Handguard - Black - Henry
- Manufacturer: Ranger Point Precision
- Product no.: BRD261167
- Mfr. No.: HLONG-BLK
- Color: Black
- Make: Henry
- Delivery weight: 3kg

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den Long Ranger MLOK Handguard
- English: Long Ranger MLOK Handguard Safety Instruction Guide

Sicherheitshinweise für den Long Ranger MLOK Handguard

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des Long Ranger MLOK Handguards von Henry. Dieses Produkt wurde entwickelt, um die Leistung Ihres Henry Long Ranger oder Long Ranger Express Gewehrs zu verbessern. Bitte lesen Sie diese Sicherheitsanweisungen sorgfältig durch, um eine sichere und effektive Nutzung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie alle Anweisungen und Warnungen in diesem Handbuch befolgen.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Überprüfen Sie das Produkt vor jedem Gebrauch auf Beschädigungen oder Abnutzung.
- Melden Sie unsichere Produkte oder Vorfälle den zuständigen Behörden.

Besondere Sicherheitsvorkehrungen für die Verwendung

- Verwenden Sie den Handguard nur in Verbindung mit kompatiblen Henry Gewehren.
- Achten Sie darauf, dass der Handguard ordnungsgemäß montiert ist, um Verletzungen zu vermeiden.
- Vermeiden Sie den Kontakt mit heißen Oberflächen oder Teilen des Gewehrs während und nach dem Gebrauch.
- Tragen Sie beim Schießen immer geeignete Schutzausrüstung, einschließlich Gehörschutz und Schutzbrille.
- Verwenden Sie keine Modifikationen oder Zubehörteile, die nicht von Henry empfohlen werden.

Anweisungen zur Installation und Nutzung

Installation

1. **Vorbereitung:** Stellen Sie sicher, dass das Gewehr entladen ist und sich in einem sicheren Zustand befindet.
2. **Montage des Handguards:**
 - Entfernen Sie den alten Handguard, falls vorhanden.
 - Setzen Sie den neuen MLOK Handguard auf die Lauf und Magazinröhre.
 - Verwenden Sie die mitgelieferten Schrauben und den Barrel/Mag Tube Tenon zur Befestigung.
 - Überprüfen Sie die Festigkeit aller Schrauben, um sicherzustellen, dass der Handguard sicher sitzt.
3. **Zusätzliche MLOKAnpassungen:** Nutzen Sie die MLOKSchlüsse, um Zubehörteile nach Bedarf zu montieren.

Nutzung

- Achten Sie darauf, dass der Handguard während des Schießens nicht blockiert wird.
- Überprüfen Sie regelmäßig die Befestigungen und den Zustand des Handguards.
- Nutzen Sie die ergonomischen Vorteile des Handguards, um eine komfortable Schießhaltung zu gewährleisten.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Elektroschrott und Aluminium.
- Stellen Sie sicher, dass keine Teile in die Umwelt gelangen.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wenden Sie sich bitte an den Hersteller oder den Einzelhändler, bei dem Sie das Produkt erworben haben. Es ist wichtig, dass Sie bei Fragen oder Bedenken bezüglich der Sicherheit des Produkts umgehend Hilfe suchen.

Bitte stellen Sie sicher, dass Sie diese Sicherheitsanweisungen regelmäßig überprüfen und beachten, um eine sichere Nutzung Ihres Long Ranger MLOK Handguards zu gewährleisten.

Long Ranger MLOK Handguard Safety Instruction Guide

Introduction

Thank you for choosing the Long Ranger MLOK Handguard. This guide provides essential safety instructions to ensure safe usage, installation, and maintenance of your handguard. Please read through this guide carefully to familiarize yourself with safety precautions and proper handling.

General Safety Guidelines

- Ensure that the handguard is compatible with your specific model of Henry Long Ranger or Long Ranger Express rifle.
- Always handle firearms and accessories with care, following all applicable laws and regulations.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the handguard and its components for any signs of wear or damage before use.
- Do not exceed the recommended load capacity of the handguard.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the rifle is unloaded before installing or adjusting the handguard.
- Use the provided screws and set screws as instructed to secure the handguard properly.
- Avoid using force when installing or removing the handguard to prevent damage.
- Do not modify the handguard or its components, as this could compromise safety and performance.
- When using accessories attached to the MLOK slots, ensure they are securely fastened.
- Be cautious of sharp edges during installation and handling.

Instructions for Installation and Usage

1. Preparation

- Ensure that your workspace is clean and free of distractions.
- Gather all necessary tools, including a screwdriver for installation.

2. Installation Steps

- Remove the existing handguard from your rifle, if applicable.
- Align the Long Ranger MLOK Handguard with the barrel and magazine tube.
- Attach the barrel/mag tube tenon using the provided screws. Ensure they are tightened securely.
- Insert the four set screws to prevent lateral movement. Adjust as necessary for a snug fit.
- Check that the handguard is stable and secure before proceeding to use the rifle.

3. Usage

- Ensure proper grip and stance while using the rifle to maintain stability.
- Use the handguard's features, such as the flush cup holes for sling swivels, as needed.
- Regularly check the tightness of screws and set screws during use.

Disposal Instructions

- When disposing of the Long Ranger MLOK Handguard, follow local regulations for the disposal of metal products.
- Consider recycling the aluminum material to reduce environmental impact.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the product packaging or visit the manufacturer's website.