

# **Lever Quick Takedown Screw for Rossi 95/S&W 1894 - Lever Quick Takedown Screw for Rossi 95 - 444 Logo**

## **Rossi 95 Lever Quick Takedown Screw**

**Material:** 4140 Chromoly Steel with Black Nitride Coating

### **Features:**

- Quick-release screw for effortless lever removal
- Allows easy swapping to larger loop levers, perfect for gloved hands or cowboy action shooting
- Six-point design ensures a secure, non-slip grip during installation and removal
- Fits all **Rossi 95 rifles** (not compatible with Rossi 92)
- Direct replacement for the original factory lever screw without modification

Durable build with proprietary 10-32 thread pitch for precise fit.

### **Attributes**

- Name: Lever Quick Takedown Screw for Rossi 95 - 444 Logo
- Manufacturer: Ranger Point Precision
- Product no.: BRD261259
- Mfr. No.: 160
- Make: Ranger Point Precision
- Material: Chromoly Steel, Black Nitride Coating
- Model: Rossi 95
- Delivery weight: 0.05kg
- Shipping height: 10mm
- Shipping width: 10mm
- Shipping length: 20mm

# Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für die HebelSchnellspannschraube für Rossi 95/S&W 1894
- English: Safety Instruction Guide for Rossi 95 Lever Quick Takedown Screw

# Sicherheitshinweise für die HebelSchnellspannschraube für Rossi 95/S&W 1894

## Einleitung

Vielen Dank, dass Sie sich für die HebelSchnellspannschraube für Rossi 95/S&W 1894 entschieden haben. Diese Anleitung bietet Ihnen wichtige Sicherheitshinweise, um eine sichere Nutzung des Produkts zu gewährleisten. Bitte lesen Sie die folgenden Informationen sorgfältig durch, um potenzielle Risiken zu vermeiden und die Lebensdauer des Produkts zu maximieren.

## Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt in einwandfreiem Zustand ist, bevor Sie es verwenden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck, wie in dieser Anleitung beschrieben.
- Bewahren Sie das Produkt außerhalb der Reichweite von Kindern auf.
- Überprüfen Sie regelmäßig auf Abnutzung oder Beschädigungen, bevor Sie das Produkt verwenden.
- Melden Sie unsichere Produkte oder Unfälle den zuständigen Behörden.

## Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwenden Sie die HebelSchnellspannschraube nur mit Rossi 95 Gewehren; sie ist nicht für Rossi 92 geeignet.
- Achten Sie darauf, dass die Schraube fest sitzt, um ein Lösen während des Gebrauchs zu vermeiden.
- Tragen Sie bei der Installation und Demontage geeignete Schutzhandschuhe, um Verletzungen zu vermeiden.
- Überprüfen Sie vor der Verwendung, ob die Schraube ordnungsgemäß installiert ist.
- Bei Anzeichen von Beschädigungen oder Verschleiß verwenden Sie das Produkt nicht und ersetzen Sie es sofort.

## Anweisungen zur Installation und Verwendung

### 1. Vorbereitung

- Stellen Sie sicher, dass Sie alle notwendigen Werkzeuge zur Hand haben.
- Reinigen Sie den Bereich um die Schraube, um Schmutz und Ablagerungen zu entfernen.

### 2. Installation

- Setzen Sie die HebelSchnellspannschraube an die vorgesehene Stelle ein.
- Ziehen Sie die Schraube gleichmäßig und fest an, um einen rutschfesten Halt zu gewährleisten.
- Überprüfen Sie das SechsPunktDesign, um sicherzustellen, dass es korrekt sitzt.

### 3. Verwendung

- Zum schnellen Wechsel des Hebels lösen Sie die Schraube mit einem geeigneten Werkzeug.
- Wechseln Sie den Hebel wie gewünscht und ziehen Sie die Schraube wieder fest.

### 4. Nach der Verwendung

- Überprüfen Sie die Installation regelmäßig auf festen Sitz und Abnutzung.
- Lagern Sie das Produkt an einem trockenen, sicheren Ort.

## Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Metallabfällen.
- Stellen Sie sicher, dass das Produkt nicht in die Hände von Kindern gelangt, wenn Sie es entsorgen.

## **Kontaktinformationen für weitere Unterstützung**

Für Fragen oder weitere Informationen zu diesem Produkt wenden Sie sich bitte an den Hersteller. Es ist wichtig, dass Sie alle Sicherheitsrichtlinien befolgen, um eine sichere Verwendung zu gewährleisten.

# Safety Instruction Guide for Rossi 95 Lever Quick Takedown Screw

## Introduction

Thank you for choosing the Rossi 95 Lever Quick Takedown Screw manufactured by Ranger Point Precision. This product is designed to enhance the functionality of your Rossi 95 rifle by allowing for easy and quick lever removal. Please read and follow all safety instructions carefully to ensure safe and effective use of this product.

## General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's specifications.
- Always handle firearms and firearm accessories with care, following all safety protocols.
- Keep the product and all associated tools out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- In case of any malfunction or damage, discontinue use immediately and seek professional assistance.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when installing or removing the quick takedown screw.
- Ensure that the firearm is unloaded and pointed in a safe direction before performing any installation or removal.
- Do not attempt to modify or alter the quick takedown screw in any way, as this may compromise safety and functionality.
- Avoid using excessive force when installing or removing the screw to prevent damage to the firearm or the screw itself.
- Be aware of the surrounding environment and ensure that no one is in the vicinity when performing installation or removal tasks.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that the firearm is unloaded.
- Gather all necessary tools, including a wrench suitable for the sixpoint design of the screw.

### 2. Installation

- Align the quick takedown screw with the lever assembly of the Rossi 95 rifle.
- Carefully insert the screw into the designated hole.
- Using the wrench, tighten the screw until secure, ensuring not to overtighten.
- Check that the lever operates smoothly after installation.

### 3. Removal

- Ensure the firearm is unloaded and pointed in a safe direction.
- Using the wrench, carefully loosen the screw by turning it counterclockwise.
- Once loose, remove the screw completely from the lever assembly.
- Store the quick takedown screw in a safe place when not in use.

## Disposal Instructions

- Dispose of any damaged or worn screws in accordance with local regulations for metal waste.
- Do not dispose of the product in regular household waste. Instead, check for recycling programs in your area that accept metal components.

## Contact Information for Further Support

For any questions or concerns regarding the Rossi 95 Lever Quick Takedown Screw, please refer to the manufacturer's contact information provided with your product packaging. It is important to reach out to the manufacturer for specific safety inquiries or product support.

By following these guidelines, you can ensure a safe and effective experience with your Rossi 95 Lever Quick Takedown Screw. Thank you for prioritizing safety and responsible firearm handling.