

Lever Quick Takedown Screw for Rossi 95/S&W 1894 - Lever Quick Takedown Screw for Rossi 95 - 360 Buckhammer Logo

Rossi 95 Lever Quick Takedown Screw

Material: 4140 Chromoly Steel with Black Nitride Coating

Features:

- Quick-release screw for effortless lever removal
- Allows easy swapping to larger loop levers, perfect for gloved hands or cowboy action shooting
- Six-point design ensures a secure, non-slip grip during installation and removal
- Fits all **Rossi 95 rifles** (not compatible with Rossi 92)
- Direct replacement for the original factory lever screw without modification

Durable build with proprietary 10-32 thread pitch for precise fit.

Attributes

- Name: Lever Quick Takedown Screw for Rossi 95 - 360 Buckhammer Logo
- Manufacturer: Ranger Point Precision
- Product no.: BRD261260
- Mfr. No.: 161
- Make: Ranger Point Precision
- Material: Chromoly Steel, Black Nitride Coating
- Model: Rossi 95
- Delivery weight: 0.05kg
- Shipping height: 10mm
- Shipping width: 10mm
- Shipping length: 20mm

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die HebelSchnellspannschraube für Rossi 95/S&W 1894](#)
- [English: Safety Instruction Guide for Lever Quick Takedown Screw for Rossi 95/S&W 1894](#)

Sicherheitshinweise für die HebelSchnellspannschraube für Rossi 95/S&W 1894

Einführung

Vielen Dank, dass Sie sich für die HebelSchnellspannschraube für Rossi 95/S&W 1894 entschieden haben. Diese Anleitung bietet wichtige Sicherheitsinformationen, um eine sichere Verwendung des Produkts zu gewährleisten. Bitte lesen Sie alle Anweisungen sorgfältig durch und bewahren Sie diese für zukünftige Referenz auf.

Allgemeine Sicherheitsrichtlinien

- Achten Sie darauf, dass das Produkt nur für den vorgesehenen Zweck verwendet wird.
- Überprüfen Sie das Produkt vor der Verwendung auf mögliche Beschädigungen oder Mängel.
- Halten Sie das Produkt von Kindern und anderen gefährdeten Gruppen fern.
- Bei Fragen zur Sicherheit oder bei Problemen wenden Sie sich an den Hersteller oder einen Fachmann.
- Informieren Sie sich regelmäßig über Rückrufupdates auf der EU Safety Gate Plattform.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwenden Sie die HebelSchnellspannschraube nur mit Rossi 95 Gewehren.
- Stellen Sie sicher, dass das Gewehr vor der Installation entladen ist.
- Tragen Sie geeignete Schutzausrüstung, wie Handschuhe und Schutzbrille, um Verletzungen zu vermeiden.
- Vermeiden Sie es, die Schraube mit übermäßigem Druck zu montieren oder zu demontieren, um Beschädigungen zu verhindern.
- Achten Sie darauf, dass keine losen Teile oder Werkzeuge in der Nähe des Gewehrs sind, während Sie arbeiten.

Anweisungen für Installation und Verwendung

1. Vorbereitung

- Stellen Sie sicher, dass das Gewehr entladen ist.
- Suchen Sie den Bereich, in dem die HebelSchnellspannschraube installiert werden soll.

2. Installation

- Verwenden Sie das mitgelieferte Werkzeug, um die alte Hebelschraube zu entfernen.
- Setzen Sie die HebelSchnellspannschraube in die vorgesehene Öffnung ein.
- Ziehen Sie die Schraube gleichmäßig fest, ohne übermäßigen Druck auszuüben.

3. Verwendung

- Überprüfen Sie nach der Installation die Festigkeit der Schraube.
- Führen Sie eine Funktionsprüfung des Gewehrs durch, um sicherzustellen, dass alles ordnungsgemäß funktioniert.

4. Demontage

- Um die HebelSchnellspannschraube zu entfernen, verwenden Sie das entsprechende Werkzeug.
- Entfernen Sie die Schraube vorsichtig und bewahren Sie sie an einem sicheren Ort auf.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Metallabfällen.
- Stellen Sie sicher, dass alle Teile des Produkts umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder bei Fragen zur Sicherheit wenden Sie sich bitte an den Hersteller oder einen Fachmann. Es ist wichtig, dass Sie bei Unsicherheiten oder Problemen Hilfe in Anspruch nehmen.

Safety Instruction Guide for Lever Quick Takedown Screw for Rossi 95/S&W 1894

Introduction

Thank you for choosing the Lever Quick Takedown Screw for your Rossi 95 rifle. This product is designed to enhance your shooting experience by allowing for quick and easy lever removal. Please read this safety instruction guide carefully to ensure safe and proper use of the product.

General Safety Guidelines

- Ensure that the product is suitable for your specific model. This screw is designed for Rossi 95 rifles and is not compatible with Rossi 92 models.
- Always handle firearms and accessories with care. Follow all safety procedures when handling your rifle.
- Store the product in a safe place, out of reach of children and other vulnerable individuals.
- Regularly inspect the screw for any signs of wear or damage. If you notice any issues, do not use the product and replace it immediately.

Specific Safety Precautions for Use

- Always ensure that the rifle is unloaded before installing or removing the takedown screw.
- Use appropriate safety gear, such as gloves, when handling the screw to prevent injury.
- Avoid overtightening the screw during installation, as this may lead to damage or failure.
- Be cautious of sharp edges when handling the screw, particularly during installation and removal.
- If you experience difficulty during installation or removal, seek assistance rather than forcing the screw.

Instructions for Installation and Usage

1. Preparation

- Ensure the rifle is unloaded and pointed in a safe direction.
- Gather necessary tools, including a suitable screwdriver.

2. Installation

- Locate the original factory lever screw on your Rossi 95 rifle.
- Using the screwdriver, carefully remove the original screw.
- Align the Lever Quick Takedown Screw with the screw hole.
- Handtighten the screw until secure, ensuring it is not overtightened.

3. Usage

- To remove the lever, simply turn the quickrelease screw counterclockwise until it is loose enough to detach the lever.
- To reattach the lever, align it properly and turn the screw clockwise to secure it in place.

4. Maintenance

- Regularly check the screw for tightness and wear.
- Clean the screw and surrounding area to prevent dirt accumulation.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal waste.
- Do not dispose of the product in household waste. Instead, consider recycling options available in your area.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the Lever Quick Takedown Screw, please refer to the manufacturer's contact information provided with your product packaging.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your Lever Quick Takedown Screw for Rossi 95. Always prioritize safety and responsible handling of your firearm and its accessories. Thank you for your attention and safe shooting!