

Lever Quick Takedown Screw for Rossi 95/S&W 1894 - Lever Quick Takedown Screw for Rossi 95 - 44 Mag Logo

Rossi 95 Lever Quick Takedown Screw

Material: 4140 Chromoly Steel with Black Nitride Coating

Features:

- Quick-release screw for effortless lever removal
- Allows easy swapping to larger loop levers, perfect for gloved hands or cowboy action shooting
- Six-point design ensures a secure, non-slip grip during installation and removal
- Fits all **Rossi 95 rifles** (not compatible with Rossi 92)
- Direct replacement for the original factory lever screw without modification

Durable build with proprietary 10-32 thread pitch for precise fit.

Attributes

- Name: Lever Quick Takedown Screw for Rossi 95 - 44 Mag Logo
- Manufacturer: Ranger Point Precision
- Product no.: BRD261262
- Mfr. No.: 163
- Make: Ranger Point Precision
- Material: Chromoly Steel, Black Nitride Coating
- Model: Rossi 95
- Delivery weight: 0.05kg
- Shipping height: 10mm
- Shipping width: 10mm
- Shipping length: 20mm

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die HebelSchnellspannschraube für Rossi 95/S&W 1894](#)
- [English: Safety Instruction Guide for Lever Quick Takedown Screw for Rossi 95/S&W 1894](#)

Sicherheitshinweise für die HebelSchnellspannschraube für Rossi 95/S&W 1894

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf der HebelSchnellspannschraube für Rossi 95/S&W 1894. Diese Anleitung bietet Ihnen wichtige Informationen zur sicheren Verwendung und Installation des Produkts, damit Sie es optimal nutzen können.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass das Produkt für die Verwendung in deinem Land zugelassen ist.
- Überprüfe das Produkt regelmäßig auf Beschädigungen oder Abnutzung.
- Halte das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Verwende das Produkt nur für den vorgesehenen Zweck.
- Informiere dich über Rückrufaktionen auf der EU Safety Gate Plattform.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Achte darauf, dass du bei der Installation und Verwendung der Schraube geeignete Schutzausrüstung trägst.
- Vermeide es, die Schraube mit übermäßiger Kraft zu montieren, um Beschädigungen zu vermeiden.
- Halte den Arbeitsbereich sauber und ordentlich, um Unfälle zu verhindern.
- Verwende die Schraube nur mit kompatiblen Rossi 95 Gewehren.
- Wenn du unsicher bist, konsultiere einen Fachmann.

Anweisungen zur Installation und Verwendung

1. Vorbereitung:

- Stelle sicher, dass das Gewehr entladen ist, bevor du mit der Installation beginnst.
- Reinige den Bereich um die Schraube, um Staub und Schmutz zu entfernen.

2. Installation:

- Nimm die OriginalHebelschraube heraus.
- Setze die HebelSchnellspannschraube an die vorgesehene Stelle ein.
- Drehe die Schraube im Uhrzeigersinn, bis sie fest sitzt. Achte darauf, nicht zu fest anzuziehen.

3. Verwendung:

- Um den Unterhebel zu demontieren, drehe die Schraube gegen den Uhrzeigersinn.
- Bei Bedarf kannst du die Schraube schnell wieder anbringen, um den Hebelwechsel vorzunehmen.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den lokalen Vorschriften für Metallabfälle.
- Stelle sicher, dass alle Teile des Produkts sicher und verantwortungsbewusst entsorgt werden.

Kontaktinformationen für weitere Unterstützung

- Bei Fragen oder Anliegen zur Sicherheit des Produkts wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt gekauft hast.

Bitte beachte, dass diese Anleitung nicht alle möglichen Sicherheitsaspekte abdecken kann. Es liegt in deiner Verantwortung, alle Sicherheitsrichtlinien zu befolgen und bei Unsicherheiten professionelle Hilfe in Anspruch zu nehmen.

Safety Instruction Guide for Lever Quick Takedown Screw for Rossi 95/S&W 1894

Introduction

Thank you for choosing the Lever Quick Takedown Screw for Rossi 95. This product is designed to enhance your shooting experience by offering a reliable and efficient way to remove the lever on your Rossi 95 rifle. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always ensure that the firearm is unloaded before attempting to install or remove the lever.
- Keep the product and all tools out of reach of children and vulnerable individuals.
- Inspect the product for any visible damage or defects before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Use personal protective equipment, such as safety glasses, when handling tools or firearms.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- The Lever Quick Takedown Screw is intended for use with Rossi 95 rifles only. Do not use it with Rossi 92 or any other firearm.
- Ensure that the screw is properly tightened before use to prevent accidental removal during operation.
- Avoid overtightening the screw, as this may lead to damage to the rifle or the screw itself.
- Use caution when handling tools and the firearm to prevent injury.
- If you are not familiar with firearm maintenance, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure that the rifle is unloaded and the workspace is clean and free of distractions.
- Gather necessary tools, including a screwdriver compatible with the sixpoint design of the screw.

2. Installation

- Locate the original factory lever screw on your Rossi 95 rifle.
- Using the screwdriver, carefully remove the original screw by turning it counterclockwise.
- Take the Lever Quick Takedown Screw and align it with the screw hole.
- Insert the screw and turn it clockwise until it is handtight. Ensure it is secure but do not overtighten.

3. Usage

- To remove the lever, simply unscrew the Lever Quick Takedown Screw by turning it counterclockwise.
- For installation of larger loop levers, follow the same procedure as above.
- Always ensure that the screw is securely fastened before using the rifle.

4. PostUse Care

- After use, inspect the screw for any signs of wear or damage.
- Store the product in a safe location, away from children and unauthorized users.

Disposal Instructions

- Dispose of the Lever Quick Takedown Screw in accordance with local regulations regarding metal and firearm accessories.
- Do not dispose of the product in regular household waste. Check for recycling programs in your area.

Contact Information for Further Support

For any questions or concerns regarding the Lever Quick Takedown Screw for Rossi 95, please refer to the manufacturer's website or customer support resources. It is important to ensure that you are following all safety guidelines and instructions for the best experience with your product.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our priority. Enjoy your shooting experience with the Lever Quick Takedown Screw for Rossi 95.