

Lever Quick Takedown Screw for Rossi 95/S&W 1894 - Lever Quick Takedown Screw for Rossi 95 - 45 Colt Logo

Rossi 95 Lever Quick Takedown Screw

Material: 4140 Chromoly Steel with Black Nitride Coating

Features:

- Quick-release screw for effortless lever removal
- Allows easy swapping to larger loop levers, perfect for gloved hands or cowboy action shooting
- Six-point design ensures a secure, non-slip grip during installation and removal
- Fits all **Rossi 95 rifles** (not compatible with Rossi 92)
- Direct replacement for the original factory lever screw without modification

Durable build with proprietary 10-32 thread pitch for precise fit.

Attributes

- Name: Lever Quick Takedown Screw for Rossi 95 - 45 Colt Logo
- Manufacturer: Ranger Point Precision
- Product no.: BRD261263
- Mfr. No.: 164
- Make: Ranger Point Precision
- Material: Chromoly Steel, Black Nitride Coating
- Model: Rossi 95
- Delivery weight: 0.05kg
- Shipping height: 10mm
- Shipping width: 10mm
- Shipping length: 20mm

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise zur HebelSchnellspannschraube für Rossi 95/S&W 1894](#)
- [English: Safety Instruction Guide for Lever Quick Takedown Screw for Rossi 95/S&W 1894](#)

Sicherheitshinweise zur HebelSchnellspannschraube für Rossi 95/S&W 1894

Einleitung

Vielen Dank, dass du dich für die HebelSchnellspannschraube für Rossi 95 entschieden hast. Dieses Produkt wurde entwickelt, um dir eine einfache und sichere Möglichkeit zur Demontage deines Unterhebels zu bieten. Bitte lies diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass du das Produkt sicher und effektiv verwendest.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass das Produkt vor der Verwendung in einwandfreiem Zustand ist.
- Verwende die HebelSchnellspannschraube nur für den vorgesehenen Zweck.
- Bewahre das Produkt außerhalb der Reichweite von Kindern auf.
- Überprüfe regelmäßig auf Anzeichen von Verschleiß oder Beschädigung.
- Melde unsichere Produkte oder Unfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Vermeide es, die Schraube übermäßig festzuziehen, um Beschädigungen zu vermeiden.
- Trage immer geeignete Schutzhandschuhe, wenn du mit dem Produkt arbeitest.
- Achte darauf, dass keine Fremdkörper in den Gewinde oder Montagebereich gelangen.
- Verwende das Produkt nicht, wenn du unter dem Einfluss von Alkohol oder Drogen stehst.
- Stelle sicher, dass der Unterhebel vor der Montage oder Demontage sicher fixiert ist.

Anweisungen für Installation und Nutzung

1. Vorbereitung:

- Stelle sicher, dass du alle notwendigen Werkzeuge zur Hand hast, einschließlich eines Schraubenschlüssels.
- Reinige den Montagebereich gründlich, um Schmutz und Ablagerungen zu entfernen.

2. Installation:

- Setze die HebelSchnellspannschraube in das vorgesehene Gewinde ein.
- Drehe die Schraube vorsichtig im Uhrzeigersinn, bis sie fest sitzt. Achte darauf, dass sie nicht überdreht wird.
- Überprüfe den Sitz der Schraube, indem du leicht daran ziehst, um sicherzustellen, dass sie sicher befestigt ist.

3. Benutzung:

- Um den Unterhebel zu demontieren, drehe die Schraube gegen den Uhrzeigersinn.
- Halte während des Vorgangs den Unterhebel fest, um ein Abrutschen zu vermeiden.
- Bei Bedarf kannst du die Schraube jederzeit wieder anbringen, indem du die oben genannten Schritte umkehrst.

Entsorgungsanweisungen

- Entsorge die HebelSchnellspannschraube gemäß den örtlichen Vorschriften für Metallabfälle.
- Stelle sicher, dass alle Teile sicher verpackt sind, um Verletzungen während der Entsorgung zu vermeiden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen wende dich bitte an den Hersteller. Es ist wichtig, dass du bei Fragen zur Sicherheit oder zur Verwendung des Produkts Unterstützung erhältst.

Vielen Dank, dass du diese Sicherheitshinweise beachtet hast. Dein Wohlbefinden und die sichere Nutzung des Produkts stehen an erster Stelle.

Safety Instruction Guide for Lever Quick Takedown Screw for Rossi 95/S&W 1894

Introduction

Thank you for choosing the Lever Quick Takedown Screw for Rossi 95/S&W 1894. This product is designed to enhance your shooting experience by allowing for quick and easy lever removal. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and follow all safety protocols.
- Ensure that the product is used only for its intended purpose.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the product for wear and damage before each use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attempting to install or remove the takedown screw.
- Wear appropriate safety gear, such as gloves and eye protection, when handling the product.
- Avoid using excessive force during installation or removal to prevent damage to the screw or firearm.
- Do not modify the product in any way, as this may compromise its safety and functionality.
- If you experience difficulty with installation or removal, consult a qualified gunsmith or contact customer support.

Instructions for Installation and Usage

1. Preparation

- Ensure that your Rossi 95 rifle is unloaded.
- Gather necessary tools: a suitable screwdriver for the screw type.

2. Installation

- Locate the original factory lever screw on your Rossi 95.
- Using the screwdriver, carefully remove the original screw.
- Align the Lever Quick Takedown Screw with the screw hole.
- Handtighten the new screw into place, ensuring it is secure but not overtightened.

3. Usage

- To remove the lever, simply turn the takedown screw counterclockwise until it is free.
- To reattach the lever, follow the installation steps in reverse.

4. PostInstallation Check

- After installation, check that the lever is securely attached and functions properly.
- Inspect the screw for any signs of damage or wear before each use.

Disposal Instructions

- Dispose of any damaged or worn screws in accordance with local regulations.
- Do not dispose of the product in regular household waste. Instead, consider recycling options available in your area.

Contact Information for Further Support

For any questions or concerns regarding the Lever Quick Takedown Screw for Rossi 95/S&W 1894, please refer to the manufacturer's contact information provided on the product packaging or visit the manufacturer's website for additional support.

By following these safety instructions, you can enjoy the benefits of your new product while ensuring your safety and the safety of others. Thank you for your attention to these important guidelines.