

Loading Gate for Marlin/Rossi 95/S&W 1894 - Loading Gate for Rossi 95/S&W 1894 - Red

Compatibility:

- Fits S&W 1854 and Marlin 1894 rifles in .357 Mag, .44 Mag, .45 Colt
- Not compatible with other models

Light and Precise:

- Spring weight reduced by **up to 70%**
- Requires only **1.5 lbs (0.7 kg)** to fully open (compared to over 5 lbs / 2.3 kg with the factory gate)

Material:

- Precisely machined from **7075-T6 aluminum**
- Hard anodized for extreme durability
- Stronger than hardened steel – superior wear resistance

Benefits:

- Increased cartridge clearance for easier loading, even with large calibers like Marlin 444
- Perfectly tuned geometry for smooth and reliable feeding
- No sharp edges
- **SASS approved** (Single Action Shooting Society)

Installation:

- Simple installation in **10-15 minutes**, no tuning required

Attributes

- Name: Loading Gate for Rossi 95/S&W 1894 - Red
- Manufacturer: Ranger Point Precision
- Product no.: BRD261268
- Mfr. No.: 2005
- Color: Red
- Make: Ranger Point Precision
- Material: Billet Aluminum
- Model: Marlin 1894 S&W 1854
- Delivery weight: 0.1kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 50mm

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für das Loading Gate für Marlin/Rossi 95/S&W 1894
- English: Loading Gate for Marlin/Rossi 95/S&W 1894 Safety Instructions

Sicherheitshinweise für das Loading Gate für Marlin/Rossi 95/S&W 1894

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des Loading Gates für Marlin/Rossi 95/S&W 1894. Dieses Produkt wurde entwickelt, um Ihnen ein einfacheres und sichereres Nachladen Ihrer Waffen zu ermöglichen. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um eine sichere Nutzung zu gewährleisten.

Allgemeine Sicherheitshinweise

- Achten Sie darauf, dass Sie das Loading Gate nur für die vorgesehenen Modelle verwenden: S&W 1854 und Marlin 1894 Gewehre in .357 Mag, .44 Mag, .45 Colt.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Verwenden Sie das Produkt nicht, wenn es beschädigt ist oder Anzeichen von Abnutzung aufweist.
- Überprüfen Sie regelmäßig den Zustand des Loading Gates und der Waffe, um sicherzustellen, dass alles ordnungsgemäß funktioniert.
- Beachten Sie die geltenden Gesetze und Vorschriften zum Umgang mit Feuerwaffen in Ihrem Land.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie das Loading Gate nur in einer sicheren Umgebung, in der keine unbefugten Personen anwesend sind.
- Stellen Sie sicher, dass die Waffe vor dem Nachladen entladen ist.
- Vermeiden Sie es, das Loading Gate unter extremen Bedingungen zu verwenden (z. B. bei sehr hohen oder niedrigen Temperaturen).
- Achten Sie darauf, dass keine scharfen Kanten oder andere Gefahrenquellen in der Nähe sind, wenn Sie das Loading Gate verwenden.
- Halten Sie während des Nachladens immer einen sicheren Abstand zu anderen Personen.

Anweisungen für die Installation und Nutzung

1. Installation:

- Stellen Sie sicher, dass Sie alle benötigten Werkzeuge zur Hand haben.
- Befolgen Sie die Montageanleitung, die mit dem Produkt geliefert wird.
- Die Montage sollte in 10 bis 15 Minuten abgeschlossen sein; es sind keine Anpassungen erforderlich.
- Überprüfen Sie nach der Montage, ob das Loading Gate ordnungsgemäß funktioniert.

2. Nutzung:

- Um das Loading Gate zu öffnen, benötigen Sie nur 0,7 kg (1,5 lbs) Kraft. Dies ist deutlich weniger als bei der Standardklappe.
- Achten Sie darauf, dass Sie beim Nachladen keine scharfen Kanten berühren.
- Nutzen Sie die Vorteile der verbesserten Geometrie für ein sanftes und zuverlässiges Nachladen.
- Überprüfen Sie regelmäßig die Funktionsfähigkeit des Loading Gates während der Nutzung.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Abfallentsorgung.
- Stellen Sie sicher, dass das Produkt nicht in die Hände von Kindern oder unbefugten Personen gelangt, wenn Sie es entsorgen.
- Trennen Sie Materialien, wenn möglich, um die Recyclingmöglichkeiten zu maximieren.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung bezüglich Ihres Produkts wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben.

Diese Sicherheitshinweise sind gemäß der EUVerordnung über die allgemeine Produktsicherheit (GPSR) erstellt worden. Sie enthalten wichtige Informationen zur sicheren Nutzung und Handhabung Ihres Loading Gates. Bitte halten Sie sich an alle Anweisungen, um die Sicherheit und Zufriedenheit mit Ihrem Produkt zu gewährleisten.

Loading Gate for Marlin/Rossi 95/S&W 1894

Safety Instructions

Introduction

Thank you for choosing the Loading Gate for Marlin/Rossi 95/S&W 1894. This product is designed to enhance the loading experience for your rifle. Please read this safety instruction guide carefully to ensure safe and effective use of the loading gate.

General Safety Guidelines

- Ensure the loading gate is compatible with your rifle model (S&W 1854 and Marlin 1894 in .357 Mag, .44 Mag, .45 Colt).
- Always handle firearms safely and responsibly.
- Keep the loading gate and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the loading gate for any signs of wear or damage before each use.
- If you notice any defects or issues with the loading gate, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Use the loading gate only as intended and for compatible rifle models.
- Do not force the loading gate open or closed; it should operate smoothly with minimal effort.
- Ensure your rifle is unloaded before installing or removing the loading gate.
- Avoid using the loading gate in wet or humid conditions to prevent corrosion.
- If you experience any difficulty while using the loading gate, stop and consult the installation instructions or seek professional assistance.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure your rifle is completely unloaded.
- Gather necessary tools (if required).

2. Remove the Factory Gate:

- Follow the manufacturer's instructions to safely remove the existing loading gate from your rifle.

3. Install the Loading Gate:

- Align the new loading gate with the designated area on your rifle.
- Gently press the loading gate into place until it fits securely.

4. Test the Loading Gate:

- With the rifle still unloaded, test the loading gate by attempting to open and close it.
- It should operate smoothly with minimal resistance.

Usage

- To load cartridges, ensure the loading gate is fully open.
- Insert cartridges one at a time, ensuring they are seated properly.
- Close the loading gate gently, ensuring it clicks into place.

Disposal Instructions

- Dispose of the loading gate in accordance with local regulations.
- Do not dispose of the loading gate in regular household waste if it is damaged or defective.
- Check with local waste management authorities for specific disposal guidelines related to aluminum products.

Contact Information for Further Support

For questions or concerns regarding the Loading Gate for Marlin/Rossi 95/S&W 1894, please consult the manufacturer or authorized retailer for assistance. Always refer to the EU's Safety Gate platform for updates on product safety and recalls.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and enjoyable experience with your new loading gate.