

# **Loading Gate for Marlin/Rossi 95/S&W 1894 - Loading Gate for Marlin 1895 - Red**

## **Compatibility:**

- Fits Marlin 1895 rifles chambered in 45-70 Govt
- Not compatible with other models

## **Light and Precise:**

- Spring weight reduced by **up to 70%**
- Requires only **1.5 lbs (0.7 kg)** to fully open (compared to over 5 lbs / 2.3 kg with the factory gate)

## **Material:**

- Precisely machined from **7075-T6 aluminum**
- Hard anodized for extreme durability
- Stronger than hardened steel – superior wear resistance

## **Benefits:**

- Increased cartridge clearance for easier loading, even with large calibers like Marlin 444
- Perfectly tuned geometry for smooth and reliable feeding
- No sharp edges
- **SASS approved**(Single Action Shooting Society)

## **Installation:**

- Simple installation in **10-15 minutes**, no tuning required

## **Attributes**

- Name: Loading Gate for Marlin 1895 - Red
- Manufacturer: Ranger Point Precision
- Product no.: BRD261270
- Mfr. No.: 2007
- Color: Red
- Make: Ranger Point Precision
- Material: Billet Aluminum
- Model: Marlin
- Delivery weight: 0.1kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 50mm

# Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den Loading Gate für Marlin/Rossi 95/S&amp;W 1894 und Marlin 1895
- English: Loading Gate for Marlin/Rossi 95/S&amp;W 1894 Safety Instructions

# Sicherheitshinweise für den Loading Gate für Marlin/Rossi 95/S&W 1894 und Marlin 1895

## Einführung

Herzlichen Glückwunsch zum Kauf des Loading Gate für Marlin/Rossi 95/S&W 1894 und Marlin 1895. Dieses Produkt wurde entwickelt, um Ihnen das Nachladen Ihrer Gewehre zu erleichtern und gleichzeitig höchste Sicherheitsstandards zu gewährleisten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv nutzen.

## Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt nur für die vorgesehenen Gewehre (Marlin 1895 in 4570 Govt) verwendet wird.
- Überprüfen Sie regelmäßig den Zustand des Loading Gates auf Abnutzung oder Beschädigungen.
- Verwenden Sie das Produkt nicht, wenn Sie Anzeichen von Beschädigungen oder Fehlfunktionen feststellen.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen gefährdeten Personen.
- Bewahren Sie alle Verpackungen und Anleitungen auf, falls Sie diese für Rückfragen oder Rückgaben benötigen.

## Spezifische Sicherheitsvorkehrungen für die Benutzung

- Verwenden Sie das Loading Gate nur mit Munition, die für Ihr Gewehr geeignet ist.
- Achten Sie darauf, dass beim Nachladen keine scharfen Kanten oder andere Gefahren vorhanden sind.
- Stellen Sie sicher, dass das Gewehr immer in einem sicheren Zustand ist (z.B. gesichert) während des Nachladens.
- Tragen Sie beim Umgang mit Munition immer geeignete Schutzausrüstung, wie z.B. Schutzbrillen.
- Informieren Sie sich über die gesetzlichen Bestimmungen zu Waffen und Munition in Ihrem Land.

## Anweisungen zur Installation und Nutzung

### 1. Installation des Loading Gates:

- Entfernen Sie das alte Loading Gate gemäß den Anweisungen des Herstellers.
- Setzen Sie das neue Loading Gate an der vorgesehenen Stelle ein.
- Stellen Sie sicher, dass es fest sitzt und keine Bewegung aufweist.
- Überprüfen Sie die Funktionalität, indem Sie das Gate mehrmals öffnen und schließen.

### 2. Benutzung des Loading Gates:

- Drücken Sie mit einem Gewicht von 0,7 kg (1,5 lbs) auf das Gate, um es zu öffnen.
- Stellen Sie sicher, dass keine Hindernisse den Öffnungsmechanismus blockieren.
- Laden Sie die Patronen gemäß den Anweisungen des Herstellers nach.
- Achten Sie darauf, dass das Gate nach dem Nachladen sicher verriegelt ist.

## Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Aluminium und Metallabfälle.
- Recyceln Sie das Produkt, wenn möglich, um die Umwelt zu schonen.
- Informieren Sie sich über spezielle Entsorgungsstellen in Ihrer Nähe, die Metallabfälle annehmen.

## Kontaktinformationen für weitere Unterstützung

Für Fragen oder Anliegen zu diesem Produkt wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben. Sie können dort auch Informationen zu Rückrufen oder Sicherheitsanfragen erhalten.

## Schlussfolgerung

Die Sicherheit und Zufriedenheit unserer Kunden hat für uns höchste Priorität. Bitte befolgen Sie alle oben genannten Richtlinien und Anweisungen, um eine sichere Nutzung des Loading Gates für Marlin/Rossi 95/S&W 1894 und Marlin 1895 zu gewährleisten. Bei weiteren Fragen oder Bedenken zögern Sie nicht, sich an den Hersteller zu wenden.

# Loading Gate for Marlin/Rossi 95/S&W 1894

## Safety Instructions

### Introduction

Thank you for purchasing the Loading Gate for Marlin 1895. This product is designed to enhance the performance of your Marlin 1895 rifle chambered in 4570 Govt. Please read this safety instruction guide carefully to ensure safe and effective use of the loading gate.

### General Safety Guidelines

- Ensure that the loading gate is compatible with your firearm model (Marlin 1895).
- Always handle firearms with care and follow all safety protocols.
- Keep the loading gate and all firearm accessories out of reach of children.
- Always verify that the firearm is unloaded before installing or using the loading gate.
- Regularly check for signs of wear or damage to the loading gate.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls via the EU Safety Gate platform.

### Specific Safety Precautions for Use

- Always wear safety glasses when handling firearms or accessories.
- Do not exceed the recommended weight limit of 1.5 lbs (0.7 kg) to open the loading gate.
- Avoid using the loading gate with other rifle models, as it may not function correctly.
- Ensure that there are no obstructions in the loading mechanism before use.
- Do not attempt to modify the loading gate, as this can lead to unsafe conditions.

### Instructions for Installation and Usage

#### 1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the factory loading gate from the Marlin 1895.
- Align the new loading gate with the mounting points on the rifle.
- Secure the loading gate in place using the appropriate screws (included).
- Ensure the loading gate operates smoothly without resistance.
- Test the loading gate by opening and closing it several times.

#### 2. Usage

- Load cartridges into the rifle as per the manufacturer's guidelines.
- Utilize the increased cartridge clearance for easier loading, especially with large calibers.
- Regularly check for proper functioning and smooth operation during use.

### Disposal Instructions

- Dispose of the loading gate responsibly.
- If the loading gate is damaged or no longer functional, do not discard it in regular waste.
- Check local regulations for proper disposal methods for aluminum components.

### Contact Information for Further Support

For any inquiries regarding the loading gate or safety concerns, please reach out to the manufacturer or your local dealer. Ensure you have the product details on hand for efficient assistance.

Thank you for ensuring the safety and performance of your Marlin 1895 with the Loading Gate. Enjoy your shooting experience responsibly!