

Loading Gate for Marlin/Rossi 95/S&W 1894 - Loading Gate for Rossi 95 - Black

Compatibility:

- Fits Rossi 95 rifles in 45-70, 30-30, 444, 360
- Not compatible with Rossi 95's in 357 mag, 44 mag, 45 colt

Light and Precise:

- Spring weight reduced by **up to 70%**
- Requires only **1.5 lbs (0.7 kg)** to fully open (compared to over 5 lbs / 2.3 kg with the factory gate)

Material:

- Precisely machined from **7075-T6 aluminum**
- Hard anodized for extreme durability
- Stronger than hardened steel – superior wear resistance

Benefits:

- Increased cartridge clearance for easier loading, even with large calibers like Marlin 444
- Perfectly tuned geometry for smooth and reliable feeding
- No sharp edges
- **SASS approved** (Single Action Shooting Society)

Installation:

- Simple installation in **10-15 minutes**, no tuning required

Attributes

- Name: Loading Gate for Rossi 95 - Black
- Manufacturer: Ranger Point Precision
- Product no.: BRD261271
- Mfr. No.: 2008
- Color: Black
- Make: Ranger Point Precision
- Material: Billet Aluminum
- Model: Rossi 95
- Delivery weight: 0.1kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 50mm

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für das Loading Gate für Rossi 95](#)
- [English: Loading Gate for Rossi 95 Safety Instruction Guide](#)

Sicherheitshinweise für das Loading Gate für Rossi 95

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des Loading Gate für Rossi 95. Dieses Produkt wurde entwickelt, um die Handhabung Ihrer Waffe zu verbessern und eine sichere Nutzung zu gewährleisten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv verwenden.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt nur für die angegebenen Modelle verwendet wird. Das Loading Gate ist kompatibel mit Rossi 95 Gewehren in 4570, 3030, 444 und 360. Es ist nicht kompatibel mit Rossi 95 Modellen in 357 Mag, 44 Mag und 45 Colt.
- Verwenden Sie das Produkt nur in Übereinstimmung mit den Anweisungen in diesem Handbuch.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen ungeschulten Personen.
- Überprüfen Sie regelmäßig das Produkt auf Anzeichen von Verschleiß oder Beschädigung. Bei Beschädigung sollte das Produkt nicht mehr verwendet werden.

Spezifische Sicherheitshinweise zur Nutzung

- Achten Sie darauf, dass beim Nachladen der Waffe keine scharfen Kanten vorhanden sind. Das Loading Gate ist so konzipiert, dass es keine scharfen Kanten hat, um Verletzungen zu vermeiden.
- Das Produkt hat eine Federkraft, die um bis zu 70 % reduziert wurde. Es erfordert nur 0,7 kg (1,5 lbs) zum Öffnen. Seien Sie sich dieser Leichtigkeit bewusst, um versehentliches Öffnen zu vermeiden.
- Verwenden Sie das Loading Gate nur mit geeigneter Munition. Überprüfen Sie die Kompatibilität der Munition mit Ihrem Gewehrmodell.
- Tragen Sie beim Umgang mit Ihrer Waffe immer geeignete Schutzausrüstung, einschließlich Gehörschutz und Schutzbrille.

Anweisungen zur Installation und Nutzung

- **Installation:**
 - Die Montage des Loading Gates kann in 10 bis 15 Minuten erfolgen.
 - Es sind keine Anpassungen erforderlich. Folgen Sie den Schritten in der Anleitung, um eine ordnungsgemäße Installation sicherzustellen.
- **Nutzung:**
 - Überprüfen Sie vor jedem Gebrauch, ob das Loading Gate sicher installiert ist.
 - Öffnen Sie das Loading Gate vorsichtig, um sicherzustellen, dass keine Munition im Weg ist.
 - Laden Sie die Waffe gemäß den Herstelleranweisungen nach.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für den Umgang mit Aluminium und anderen Materialien.
- Stellen Sie sicher, dass alle Teile des Produkts sicher und umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Unterstützung bezüglich des Loading Gates wenden Sie sich bitte an den Hersteller. Es wird empfohlen, die Website des Herstellers zu besuchen oder die bereitgestellten Kontaktdaten zu nutzen.

Schlussfolgerung

Die Sicherheit hat oberste Priorität. Befolgen Sie diese Sicherheitsrichtlinien, um die sichere Verwendung Ihres Loading Gates für Rossi 95 zu gewährleisten. Bei Fragen oder Unsicherheiten bezüglich der Nutzung zögern Sie nicht, Unterstützung zu suchen.

Loading Gate for Rossi 95 Safety Instruction Guide

Introduction

Thank you for choosing the Loading Gate for your Rossi 95 rifle. This guide provides essential safety instructions to ensure safe use and installation of the loading gate. It complies with the EU General Product Safety Regulation (GPSR) to help protect consumers like you.

General Safety Guidelines

- Ensure the product is compatible with your Rossi 95 rifle model (4570, 3030, 444, 360). This loading gate is not compatible with Rossi 95 models in 357 mag, 44 mag, or 45 colt.
- Always handle firearms with care and in accordance with local laws and regulations.
- Inspect the loading gate for any visible damage before installation. Do not use if damaged.
- Keep the loading gate and all firearm accessories out of reach of children and vulnerable individuals.
- Follow safe handling practices for firearms, including keeping the firearm pointed in a safe direction and keeping your finger off the trigger until ready to shoot.
- Report any unsafe product incidents or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only the recommended tools for installation to avoid damaging the loading gate or your rifle.
- Ensure that the firearm is unloaded before attempting to install or modify any parts.
- Avoid applying excessive force during installation to prevent damage to the loading gate or the rifle.
- Do not attempt to modify the loading gate or use it in a manner not intended by the manufacturer.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.

Instructions for Installation and Usage

Installation Steps

1. **Preparation:** Ensure your Rossi 95 rifle is unloaded and safe to handle.
2. **Tools Required:** Have the necessary tools ready for installation (refer to your rifle's manual for specific tools).
3. **Remove Factory Gate:** Carefully remove the factory loading gate from your Rossi 95 rifle, following the manufacturer's instructions.
4. **Install New Loading Gate:**
 - Align the new loading gate with the mounting points on the rifle.
 - Gently press the loading gate into place, ensuring it is seated correctly.
 - Secure the loading gate using the appropriate screws or fasteners, ensuring they are tightened to the manufacturer's specifications.
5. **Test Functionality:** After installation, check the loading gate's functionality by ensuring it opens and closes smoothly. It should require only 1.5 lbs (0.7 kg) to fully open.
6. **Final Inspection:** Inspect the installation to ensure no parts are loose or damaged.

Usage Guidelines

- When loading cartridges, ensure the loading gate is fully opened for smooth loading.
- Avoid using excessive force when loading cartridges to prevent damage to the loading gate.
- Regularly inspect the loading gate for wear and tear, especially if used frequently.

Disposal Instructions

- Dispose of the loading gate in accordance with local regulations.
- Do not dispose of the loading gate in regular household waste if it is damaged or no longer functional.
- Consider recycling options for metal components if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the Loading Gate for Rossi 95, please refer to the manufacturer's website or contact their customer support team.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your Rossi 95 rifle with the new loading gate!