

M-LOK Cartridge Quiver - 360 Buckhammer - 6 Rounds

Belt Holder for M-LOK Cartridge Quivers

Belt Holder for M-LOK Cartridge Quivers

The M-LOK 360 Buckhammer Cartridge Quiver holds six rounds of 360 Buckhammer ammunition, ensuring quick and easy reloading. Featuring a proprietary O-ring retention system and sculpted protective bullet cups, it keeps your ammo secure even under rough conditions.

Features:

- **Capacity:** Holds 6 rounds of 360 Buckhammer ammunition
- **Material:** 6061 Aluminum, Type III Hard Anodized
- **Retention System:** Proprietary O-ring system ensures secure retention, even in rough handling
- **Protection:** Sculpted bullet cups protect cartridge tips from damage
- **Attachment:** M-LOK, requires two adjacent M-LOK slots for mounting (not compatible with Marlin Dark Plastic Stock or Henry X with only one M-LOK slot)
- **Weather Resistance:** Secure retention even in cold weather

Dimensions:

- Weight: 0.15 kg
- Length: 10 cm
- Width: 3 cm

Package Includes: 1 cartridge quiver with O-rings installed, 2 M-LOK T-nuts, 2 screws

Attributes

- Name: M-LOK Cartridge Quiver - 360 Buckhammer - 6 Rounds
- Manufacturer: Ranger Point Precision
- Product no.: BRD261335
- Mfr. No.: 1310
- Caliber: 360 Buckhammer
- Style: M-LOK
- Delivery weight: 0.3kg

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den MLOK Patronenhalter Quiver
- English: MLOK Cartridge Quiver Safety Instruction Guide

Sicherheitshinweise für den MLOK Patronenhalter Quiver

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des MLOK Patronenhalters Quiver für 360 Buckhammer! Dieses Produkt wurde entwickelt, um Ihnen eine sichere und bequeme Möglichkeit zu bieten, Ihre Munition zu transportieren. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv nutzen.

Allgemeine Sicherheitsrichtlinien

Um die Sicherheit bei der Verwendung des MLOK Patronenhalters Quiver zu gewährleisten, beachten Sie bitte die folgenden allgemeinen Sicherheitsrichtlinien:

- Achten Sie darauf, dass das Produkt nur für den vorgesehenen Zweck verwendet wird.
- Halten Sie das Produkt von Kindern und schutzbedürftigen Personen fern.
- Überprüfen Sie das Produkt regelmäßig auf sichtbare Schäden oder Abnutzung.
- Verwenden Sie das Produkt nicht, wenn es beschädigt oder defekt ist.
- Befolgen Sie alle örtlichen Gesetze und Vorschriften in Bezug auf den Transport von Munition.

Spezifische Sicherheitsvorkehrungen für die Nutzung

Um die Sicherheit während der Verwendung des MLOK Patronenhalters Quiver zu maximieren, beachten Sie bitte die folgenden spezifischen Vorkehrungen:

- Stellen Sie sicher, dass die Munition korrekt und sicher im Quiver platziert ist.
- Überprüfen Sie das ORingRückhaltesystem, um sicherzustellen, dass es ordnungsgemäß funktioniert.
- Vermeiden Sie übermäßigen Druck auf den Quiver, insbesondere bei rauer Handhabung.
- Verwenden Sie den Quiver nur mit 360 BuckhammerPatronen, um optimale Sicherheit und Funktionalität zu gewährleisten.
- Lagern Sie den Quiver an einem kühlen, trockenen Ort, um die Lebensdauer des Produkts zu verlängern.

Anweisungen zur Installation und Nutzung

Befolgen Sie die folgenden Schritte zur Installation und Nutzung des MLOK Patronenhalters Quiver:

1. Montage:

- Stellen Sie sicher, dass Sie zwei benachbarte MLOKSchlüsseleinschlüsse zur Verfügung haben.
- Befestigen Sie die MLOK TNuts im Quiver.
- Verwenden Sie die mitgelieferten Schrauben, um den Quiver sicher an der MLOKPlattform zu montieren.

2. Befüllen:

- Öffnen Sie den Quiver und legen Sie bis zu 6 Patronen für 360 Buckhammer ein.
- Stellen Sie sicher, dass jede Patrone sicher im Quiver sitzt und das ORingRückhaltesystem richtig funktioniert.

3. Nutzung:

- Tragen Sie den Quiver sicher am Gürtel oder an der vorgesehenen Halterung.
- Überprüfen Sie regelmäßig, ob die Munition sicher verstaut ist, insbesondere vor und nach der Nutzung.

Entsorgungsanweisungen

Um die Umwelt zu schützen, entsorgen Sie den MLOK Patronenhalter Quiver und alle dazugehörigen Teile ordnungsgemäß:

- Überprüfen Sie die örtlichen Vorschriften zur Entsorgung von Aluminium und anderen Materialien.
- Entsorgen Sie den Quiver nicht im normalen Hausmüll.
- Bringen Sie den Quiver zu einem Recyclingzentrum oder einer geeigneten Sammelstelle.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung zu Ihrem MLOK Patronenhalter Quiver wenden Sie sich bitte an den Hersteller oder den Verkaufsplatz, bei dem Sie das Produkt erworben haben. Sie können auch die EUSicherheitsgatePlattform überprüfen, um Informationen über Rückrufe oder Sicherheitswarnungen zu erhalten.

Wir danken Ihnen für den Kauf und wünschen Ihnen viel Freude mit Ihrem MLOK Patronenhalter Quiver!

MLOK Cartridge Quiver Safety Instruction Guide

Introduction

Thank you for purchasing the MLOK 360 Buckhammer Cartridge Quiver. This guide provides essential safety instructions, usage guidelines, and disposal information to ensure your safety and the proper functioning of the product. Please read this guide carefully before using the quiver.

General Safety Guidelines

- Ensure that the quiver is used only for its intended purpose of holding 360 Buckhammer ammunition.
- Always keep the quiver out of reach of children and vulnerable individuals.
- Inspect the quiver regularly for any signs of damage or wear. Do not use if damaged.
- Follow all local laws and regulations regarding the storage and transportation of ammunition.
- In the event of an emergency or malfunction, cease use immediately and contact a qualified professional.

Specific Safety Precautions for Use

- **Secure Retention:** Always ensure that the ammunition is securely held in the quiver to prevent accidental discharge.
- **Handling:** Use caution when handling the quiver, especially when it is loaded with ammunition. Avoid dropping or jarring the quiver.
- **Weather Conditions:** The quiver is designed for use in various weather conditions. However, extreme temperatures may affect the performance of the O-ring retention system. Check for proper function in cold weather.
- **Compatibility:** Ensure that the quiver is mounted correctly using two adjacent MLOK slots. It is not compatible with Marlin Dark Plastic Stock or Henry X with only one MLOK slot.

Instructions for Installation and Usage

1. Installation:

- Locate two adjacent MLOK slots on your firearm.
- Align the quiver with the MLOK slots and insert the provided T-nuts into the slots.
- Secure the quiver using the screws provided. Ensure it is tightly fastened to prevent movement during use.

2. Usage:

- Load the quiver with up to six rounds of 360 Buckhammer ammunition.
- Ensure that the O-ring retention system is functioning properly by checking that the ammunition is held securely.
- When ready to use, remove the ammunition carefully from the quiver, avoiding any sudden movements that could cause accidental discharge.

Disposal Instructions

- Dispose of the quiver in accordance with local regulations for metal products.
- If the quiver is damaged or no longer usable, consider recycling it at a designated facility.
- Do not dispose of the quiver in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the MLOK 360 Buckhammer Cartridge Quiver, please consult the retailer from whom you purchased the product or refer to the manufacturer's website for additional support.

Thank you for following these safety instructions to ensure a safe and effective experience with your MLOK Cartridge Quiver.