

DAA Extra Short Dillon Powder Bar - Large



Product: DAA Extra-Short Dillon Powder Bar

Brief Description: The DAA Extra-Short Dillon Powder Bar is specifically designed to address a unique challenge introduced with the Dillon XL750 press. In the XL750, the Dillon Powder Measure's angled configuration necessitates the powder bar to extend directly over station #4 in the toolhead, making repositioning impossible. While not an issue with a short die in that station, it becomes problematic when running a powder check in station #3 and a bullet dropper in station #4.

Key Features:

- Innovative extra-short powder bar designed for the Dillon XL750 press.
- Shortens the extension range towards station #4 by a full 30mm (1.15").
- Resolves interference issues with the bullet dropper in station #4.
- When fully extended, the charge bar avoids contact with a Mr.Bulletfeeder Dropper or Mini Mr.BF tube assembly.
- Charge capacity is approximately 95% of the Original Dillon small charge bar.
- Adjustment requires a 2.5mm Allen key (not included).
- Click-Adjustable screw with 12 clicks per rotation for precise charge setting.
- Crafted from black anodized 6061 Aluminum.

This Extra-Short Dillon Powder Bar offers a solution to the challenge posed by the XL750 press's design, ensuring smooth and correct functioning when using a powder check in station #3 and a bullet dropper in station #4. Crafted from high-quality materials, it provides reliable performance and precise charge adjustment.



Attributes

- Name: DAA Extra Short Dillon Powder Bar - Large
- Manufacturer: DAA Double Alpha Academy
- Product no.: BRD613001
- Mfr. No.:
- Size: Large
- Delivery weight: 0.5kg

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die DAA ExtraKurze Dillon Pulverstange](#)
- [English: DAA ExtraShort Dillon Powder Bar Safety Instruction Guide](#)

Sicherheitshinweise für die DAA ExtraKurze Dillon Pulverstange

Einführung

Vielen Dank, dass Sie sich für die DAA ExtraKurze Dillon Pulverstange entschieden haben. Dieses Produkt wurde entwickelt, um die Herausforderungen bei der Nutzung der Dillon XL750 Presse zu bewältigen. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um eine sichere und effektive Nutzung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Achten Sie darauf, dass alle Teile der DAA ExtraKurzen Dillon Pulverstange ordnungsgemäß montiert und in gutem Zustand sind.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck, um Verletzungen oder Schäden zu vermeiden.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen gefährdeten Personen.
- Informieren Sie sich über die Sicherheitsanforderungen, die für den Betrieb der Dillon XL750 Presse gelten.
- Überprüfen Sie regelmäßig auf Rückrufinformationen über die EU Safety Gate Plattform.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie die DAA ExtraKurze Dillon Pulverstange nur in Verbindung mit der Dillon XL750 Presse.
- Stellen Sie sicher, dass der 2,5mmInnensechskantschlüssel für die Einstellung stets verfügbar ist.
- Achten Sie darauf, dass bei der Verwendung einer Pulverprüfung in Station #3 und eines Geschosszuführers in Station #4 keine Interferenzen auftreten.
- Vermeiden Sie den Kontakt mit einem Mr.BulletfeederDropper oder einer Mini Mr.BFRöhrenbaugruppe, um Beschädigungen zu verhindern.
- Überprüfen Sie vor jeder Verwendung die korrekte Einstellung und Funktion der Pulverstange.

Anweisungen zur Installation und Nutzung

1. Installation:

- Stellen Sie sicher, dass die Dillon XL750 Presse ausgeschaltet und vom Stromnetz getrennt ist.
- Verwenden Sie den 2,5mmInnensechskantschlüssel, um die DAA ExtraKurze Dillon Pulverstange sicher zu befestigen.
- Achten Sie darauf, dass die Pulverstange korrekt über Station #4 im Werkzeugkopf positioniert ist.

2. Nutzung:

- Überprüfen Sie die Einstellungen vor jeder Nutzung, um sicherzustellen, dass sie korrekt sind.
- Führen Sie einen Testlauf durch, um sicherzustellen, dass keine Interferenzen mit anderen Komponenten auftreten.
- Halten Sie während des Betriebs immer einen sicheren Abstand zu beweglichen Teilen der Presse.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für Elektro und Elektronikaltgeräte.
- Achten Sie darauf, dass alle Teile umweltgerecht entsorgt werden, um die Umwelt zu schützen.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung zu diesem Produkt wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben. Sie sollten sicherstellen, dass Sie alle relevanten Informationen zur Hand haben, einschließlich der Produktbezeichnung und Ihrer Kaufdetails.

Bitte beachten Sie, dass diese Sicherheitshinweise dazu dienen, Ihre Sicherheit und die ordnungsgemäße Nutzung des Produkts zu gewährleisten. Halten Sie sich an alle Anweisungen, um mögliche Gefahren zu vermeiden.

DAA ExtraShort Dillon Powder Bar Safety Instruction Guide

Introduction

The DAA ExtraShort Dillon Powder Bar is designed for use with the Dillon XL750 press. This guide provides essential safety instructions to ensure safe and effective usage of the product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the DAA ExtraShort Dillon Powder Bar is used only with the Dillon XL750 press.
- Always follow the manufacturer's instructions for installation and usage to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the powder bar before each use for any signs of damage or wear.
- Do not modify the product in any way, as this may compromise safety and performance.
- In case of any malfunction or unusual operation, stop using the product immediately and consult a professional.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as safety glasses, when operating the Dillon XL750 press.
- Ensure that the powder bar is securely attached to the toolhead before starting the reloading process.
- Avoid placing your hands or any objects near the moving parts of the press during operation.
- Do not overload the powder bar beyond its intended charge capacity.
- Be cautious when handling powder and ensure proper storage to prevent accidental ignition.

Instructions for Installation and Usage

Installation

1. Ensure that the Dillon XL750 press is turned off and unplugged.
2. Remove the existing powder bar from the toolhead according to the manufacturer's instructions.
3. Align the DAA ExtraShort Dillon Powder Bar with the mounting points on the toolhead.
4. Securely fasten the powder bar using the appropriate screws and tools (a 2.5mm Allen key is required but not included).
5. Ensure that the powder bar is properly positioned to avoid interference with the bullet dropper in station #4.

Usage

1. Before loading powder, doublecheck that the powder bar is correctly installed and free from obstructions.
2. Set the desired charge using the clickadjustable screw, ensuring it is within the safe operating range.
3. Perform a powder check in station #3 before proceeding with bullet dropping in station #4.
4. Maintain a clean workspace and avoid distractions while operating the press.
5. After each session, clean the powder bar and surrounding areas to prevent powder buildup.

Disposal Instructions

- Dispose of the DAA ExtraShort Dillon Powder Bar in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or contains hazardous materials.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the contact details provided with the product packaging or visit the manufacturer's official website.

By following these safety instructions, you can ensure a safe and efficient reloading experience with the DAA ExtraShort Dillon Powder Bar. Always prioritize safety and compliance with the EU General Product Safety Regulation.