

# Tripod saddle Deadlock

[Optics & Mounting](#) > [Spotting Scopes & Accessories](#) > [Spotting Scope Accessories](#)

The Ulfhednar Deadlock Saddle fits all types of rifles and is compatible with almost all tripods. Standards 1/4-20 & 3/8-16 brackets for direct mounting on the tripod or ball head. The saddle is quick to maneuver and grips from both sides. Rubberized grip flap, offers protection and absorbs vibrations. With the large adjustment button, the clamp can be easily adjusted with one hand.

Designed, produced and assembled in Norway!

NO IMAGE  
AVAILABLE

- Weight: 500 grams
- Dimensions: 95x95x60mm (with steering wheel + 25mm)

## Attributes

- Name: [ULFHEDNAR Tripod saddle Deadlock](#)
- Manufacturer: [ULFHEDNAR](#)
- Product no.: EU2002514
- Mfr. No.: UHDLOCK
- Delivery weight: 0.66kg
- EAN: 0745114707758

# Table of Contents

- Startpage
- ULFHEDNAR Tripod Saddle Deadlock Safety Instructions
- About Us

# ULFHEDNAR Tripod Saddle Deadlock Safety Instructions

## Introduction

Thank you for choosing the ULFHEDNAR Tripod Saddle Deadlock. This guide provides essential safety instructions and guidelines to ensure the safe use of your product. Please read this manual carefully before using the saddle.

## General Safety Guidelines

- Always inspect the tripod saddle before each use to ensure it is in good working condition.
- Ensure that the tripod is stable and securely positioned before mounting your rifle.
- Do not exceed the weight limit of the tripod or saddle.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the rubberized grip flap is properly positioned to absorb vibrations and provide a secure grip.
- Use the large adjustment button carefully to avoid pinching fingers or causing injury.
- Do not attempt to adjust the clamp while the rifle is mounted on the saddle.
- Always use the saddle in accordance with the manufacturer's instructions to prevent accidents.
- Avoid using the saddle in extreme weather conditions that could affect its performance.

## Instructions for Installation and Usage

### 1. Mounting the Saddle:

- Ensure the tripod is on a flat, stable surface.
- Attach the saddle to the tripod using the 1/420 or 3/816 brackets.
- Tighten the screws securely to ensure the saddle is firmly attached.

### 2. Adjusting the Saddle:

- Use the large adjustment button to loosen or tighten the clamp as needed.
- Ensure the clamp is securely tightened before mounting your rifle.

### 3. Mounting Your Rifle:

- Carefully place your rifle into the saddle, ensuring it is stable and secure.
- Adjust the grip flap to firmly hold the rifle in place.
- Always check the stability of the rifle before taking your position.

### 4. Using the Saddle:

- Maneuver the saddle as needed, ensuring that it remains securely attached to the tripod.
- Be mindful of your surroundings to avoid accidents or injuries.

### 5. Dismounting Your Rifle:

- Carefully remove your rifle from the saddle.
- Ensure the clamp is loosened before attempting to remove the rifle.

## **Disposal Instructions**

- Dispose of the ULFHEDNAR Tripod Saddle Deadlock in accordance with local regulations for electronic and nonfood products.
- Do not dispose of the product in regular household waste.
- Consider recycling options for materials where applicable.

## **Contact Information for Further Support**

For any inquiries or support regarding the ULFHEDNAR Tripod Saddle Deadlock, please refer to the manufacturer's contact details provided with your product.

Thank you for following these safety instructions. Enjoy your ULFHEDNAR Tripod Saddle Deadlock responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)